

Author index

- Abbott D** see Mohan S et al
Abdullahi H, Moran P Isolated duodenal atresia is associated with a lower risk of trisomy 21 compared to non-isolated duodenal atresia, **Fa20**
Abi-Nader K et al. Local over-expression of vascular endothelial growth factor in the uterine arteries results in long-term changes in uterine artery blood flow and vascular reactivity in the pregnant sheep, **Fa4**
Abu-Harb M, Moran P How effective is screening for cardiac anomalies and how accurate is the prenatal diagnosis in the northern region?, **Fa11**
Acharya J see Chetan UR et al
Adamson AJ see McParlin C et al
Adeyemi OO, Osoba L The role of phosphorylated insulin-like growth factor binding protein-1 and transvaginal scan for cervical assessment in predicting preterm labour in twin pregnancies, **Fa36**
Agarwal U et al. Analysis of factors influencing the preterm birth rate in a tertiary obstetric unit in the UK, **Fa28**
Agrawal R see Misfar N et al
Ainsworth L see Misfar N et al
Airey R see Farrar D et al
Akanmu O see Hodson K et al
Alfirevic Z see Agarwal U et al
 see Kayani S et al
 see Kundodywa TW et al
 see Othman M et al
 see Stampalija T et al
 see Tang A et al
 see Turton PA et al
 see Weeks AD et al
 see Whitworth MK and Alfirevic Z
Alia G see Weeks AD et al
Allsop J see Damodaram M et al
Amarai N see Langford E et al
Amu O see Chetan UR et al
 see Rustamov O et al
Anand S, Gillham J "I've got twins – how should I deliver?" – unit-specific counselling, **Fa47**
Angala P see Jindal S et al
Arrowsmith S see Turton PA et al
Arrowsmith S et al. Myometrium from post-dates pregnancy shows reduced spontaneous contractility in vitro, **Fa40**
Arulkumaran S see Noori M et al
Aseri S see Mutema E et al
Atherton C see Dhanaliwala A et al
Attarbashi S et al. Spontaneous subcutaneous emphysema following normal delivery – a case report and review of literature, **Fa53**
Attilakos G see Platt SL et al
- Babiker W** see O'Sullivan O et al
Backhouse K see Parasuraman R et al
Backos M see Page LM et al
Bahl R see Chebsey CS et al
 see Goyer K et al
Bahl R et al. Decision-making in instrumental delivery: when, where and which instrument, **Fa41**
 Non-technical skills for obstetricians conducting operative vaginal deliveries, **Fa41**
 The script concordance test: a valid tool for obstetrics?, **Fa46**
Bakali E see Verma A et al
Baker P see Chirico D et al
Baker PN see Horgan RP et al
 see Sharp AN et al
 see Wheeler SJ et al
 see Wright C et al
Balani J et al. Metformin in gestational diabetes – a review of 127 patients and a comparison with insulin treated patients, **Fa60**
Balchin I et al. The gestation-specific risk and predictors of antepartum stillbirth in babies of women with type 1 and type 2 diabetes in England, Wales and Northern Ireland: a population based study, **Fa9**
Ballal S see Idama T et al
Ballal S et al. Hypoxic ischaemic encephalopathy: is it always avoidable?, **Fa57**
Baltabaeva A see Melchiore K et al
Bancroft K see Dhanaliwala A et al
 see Singh N et al
 see Vithala S et al
Banerjee S see Beasley D et al
- see Goel N et al
Bansal A see Nama V et al
Barrett M see Flood K et al
Barry C see Flood K et al
Barry S see Farah N et al
 see Maher N et al
Barry S et al. Maternal bioelectrical impedance analysis is a better predictor of birth weight than body mass index, **Fa62**
Barton A see Weeks A and Barton A
Barua A see Parasuraman R et al
Barua A et al. Methicillin-resistant *Staphylococcus aureus* screening in obstetrics: does it meet World Health Organization recommended criteria?, **Fa68**
Bastos M see Grant J et al
Bastos MH et al. Episiotomy in Brazil: understanding the context for routine practice, **Fa47**
Bates DO see Bills VL et al
Beasley D see Goel N et al
Beasley D et al. Neonatal morbidity following substance use in pregnancy – a five-year experience, **Fa29**
Bell B see Devaseelan JP et al
Bell JS et al. An investigation of the relationship between obesity, twinning rates and perinatal outcomes in Aberdeen, **Fa31**
Bell R see McParlin C et al
 see Whiston S et al
Bewley S see Briley AL et al
 see Khazaeezadeh N et al
Bhatia K see Theophilou G et al
Bhattacharya S see Bell JS et al
 Inherited predisposition to spontaneous preterm birth, **Fa40**
Bick D see Bastos MH et al
Bick DE et al. Impact on practice and service delivery of the use of an integrated care pathway to support normal birth in one English birth centre: practice facilitator or barrier?, **Fa46**
Bills VL et al. Biological activity of vascular endothelial growth factor in pre-eclampsia, **Fa8**
Biswas S see Verma A et al
Blake DA, Hinshaw K Folic acid supplementation in pregnancy – the harsh reality, **Fa30**
Boey V see Marsh FA et al
Bolt LA see Tasker F et al
Bolt LA et al. The combined use of two powerful predictors of preterm birth in high-risk asymptomatic women, **Fa5**
Boret T see Subair O et al
Boyd M see Abi-Nader K et al
Boyd PA et al. Evaluation of the Down's syndrome antenatal screening programme using data from the British Isles Network of Congenital Anomaly Registers, **Fa12**
Brackley K see Parasuraman R et al
Bradley E see Jones NW et al
Breathnach FM et al. Effect of gestational age on the acquisition of middle cerebral artery waveforms in twin pregnancies from 22 weeks' gestation to term, **Fa19**
 Successful umbilical artery Doppler in twin pregnancies from 22 weeks' gestation to term: experience from a large population study, **Fa19**
Bricker L see MacLeod K et al
Briley A see Lachelin GCL et al
Briley AL et al. "Stiffen the sinews, summon up the blood...", **Fa45**
Broadhurst DI see Horgan RP et al
Brooks H see Malik S et al
Brown MC see Horgan RP et al
Bruce I see Chirico D et al
Bugg G see Jones NW et al
 see Walker KF et al
Bullen P see Timevin J et al
Bulmer JN see Shirbhate R et al
Burden CA et al. Qualitative study to assess knowledge, understanding and attitude regarding instrumental delivery in our antenatal population, **Fa52**
Burge D see Parasuraman R et al
Burke G see Breathnach FM et al
 see Breathnach FM et al
Byrne B see Hill A et al
 see O'Sullivan O et al
Byron C see Idama T et al
Bythell M see Tennant PWG et al
 see Whiston S et al

- Calder AA** see Norman JE et al
Campbell DJ see Sadashivaiah JB et al
Campbell DM see Bell JS et al
Campbell JC et al. Postnatal feeding and glycaemic care in babies of diabetic mothers: audit of immediate postnatal care in neonates born after 34 weeks gestation, **Fa49**
Capaldo G Are rubella non-immune pregnant women identified and immunised postnatally? An audit in a district general hospital, **Fa64**
Cardwell C see Costa J et al
 see Devaseelan JP et al
Carroll S see Breathnach FM et al
Carroll S see Mahony R et al
 see Ryan HM et al
Cartwright R see Noori M et al
Cattle B see Farrar D et al
Cerbinskaite A see Sethna F et al
Chan BC see Fox CE et al
Chan S see Vasilopoulou E et al
Chandiramani M see Bolt LA et al
 see Duhig KE et al
 see von Rege I et al
 see Vousden N et al
Chandra P et al. Outcomes of babies with severe rhesus disease following in-utero transfusions – a 10-year experience, **Fa17**
Chappell LC Determinants of recurrence risk of pre-eclampsia in women with previous pre-eclampsia: a prospective study, **Fa26**
Charlesworth NR see Drake S et al
Chase A et al. Pregnancy outcome in sickle cell disease: experience of two tertiary centres, **Fa27**
Chebsey CS et al. Is knowledge alone enough for the implementation of intrauterine resuscitation?, **Fa57**
Chetan UR et al. Obesity in pregnancy: an emerging obstetric epidemic, **Fa61**
Cheung WMC, Weeks AD Geographical variation in retained placenta rates, **Fa56**
Chia KV see Vitthal S et al
Chirico D et al. Predictors of pregnancy complications in women with systemic lupus erythematosus, **Fa36**
Chitty LS Preparing for implementation of non-invasive prenatal diagnosis into National Health Services practice – the RAPID project, **Fa23**
Church E see Vitthal S et al
Clark H see Bell JS et al
Clarke A see Chebsey CS et al
Clarke P see Jones NW et al
Coffey M see Russell NE et al
Coker M see Subair O et al
Coleman M see Barua A et al
Coleman MA see Parasuraman R et al
 see Parasuraman R et al
Cooley S see Kennedy M et al
Cooley SM see Ryan HM et al
Cooper S see Norman JE et al
Cornell RL et al. External cephalic version – only parity affects outcome, **Fa37**
Costa J et al. Assessment of placental perfusion using three-dimensional power Doppler ultrasound in normal pregnancy and pre-eclampsia, **Fa12**
Court J see Gillham J et al
Cowans N see Khalil A et al
Crichton L see Haque L and Crichton L
Critchley M see Datta A et al
Crocker I see Chirico D et al
Crocker IP see Sharp AN et al
 see Wright C et al
Dadvand P et al. Congenital anomalies and socioeconomic status: a register-based study, **Fa28**
Daly S see Breathnach FM et al
Damodaram M et al. Three-dimensional magnetic resonance imaging reconstruction and brain volumetry in intrauterine growth restriction fetuses, **Fa19**
 Three-dimensional MR reconstruction and evaluation of the cerebellum to whole-brain ratio in intrauterine growth restriction fetuses, **Fa16**
Damodaram M see Story L et al
Danielian P see Norman JE et al
Das S see Dhanaliwala A et al
 see Vitthal S et al
Datta A et al. Trial of operative vaginal delivery: has trainee working practice had an impact?, **Fa50**
David AL see Abi-Nader K et al
 see Filippi E et al
Davies J see Shawkat E and Davies J
Dawood F et al. Increased risk of adverse obstetric outcome in women with acquired activated protein C resistance and recurrent miscarriage, **Fa36**
 Obstetric outcome following preconceptual transabdominal cerclage, **Fa30**
de Greeff A see Bolt LA et al
 see Duhig KE et al
 see Tasker F et al
 see von Rege I et al
 see Vousden N et al
Denbow M see Platt SL et al
Denison FC et al. Increased maternal body mass index is associated with an increased risk of minor complications during pregnancy with consequent cost implications for the National Health Services, **Fa64**
Deole N, Weeks A A short survey of doses of misoprostol used in obstetrics, **Fa51**
Devane D see Sandall J et al
Devaseelan JP et al. Prognosis in isolated mild to moderate fetal ventriculomegaly: a systematic review, **Fa17**
Dewhurst C see Stampalija T et al
Dhanaliwala A et al. Pregnancy care and outcomes in White/British women and women of ethnic minorities – a comparative study, **Fa35**
Dhanaliwala A see Vitthal S et al
Diamond K see Gillham J et al
Dicker P see Breathnach FM et al
Diniz CS see Bastos MH et al
Dixit A see Letchworth P et al
Donnelly V see Farah N et al
Dornan J see Breathnach FM et al
 see Breathnach FM et al
Dorrian C see Kernaghan D et al
Dozio N see Stanley KP et al
Drake S et al. Epidermal growth factor increases system A transport and attenuates apoptosis in placental explants, **Fa4**
Diamond S see Agarwal U et al
Draper ES see Boyd PA et al
Drewett M see Parasuraman R et al
Drury J see Khan L et al
Drury JA see Shirbhate R et al
Duckitt K see Maharajan P et al
Duffy DA, Reynolds P Babies born at the threshold of viability: will paediatricians be present with midwives at deliveries of 22 week gestation infants?, **Fa41**
 Registration of deaths of babies born at the threshold of viability: survey of paediatric consultants and registrars in southeast England, **Fa30**
Duhig KE et al. Targeting antenatal corticosteroids for fetal lung maturity based on fetal fibronectin testing, **Fa55**
Duley L see Farrar D et al
 see Farrar D et al
Dunlop D see Chebsey CS et al
Dunn WB see Horgan RP et al
Durgadevi P see Cornell RL et al
Dwyer JP see Ghosh A et al
E I see Howells GAAbou et al
Eckford S see Pearson G et al
Eleuteri A see Stampalija T et al
Enock K see Khazaiezadeh N et al
Evans M see Goldsmith L et al
Ewer A see Chandra P et al
 see Patel D et al
 see Rasiah SV et al
 see Rasiah SV et al
 see Stewart K et al
Ezra C, Wolfe J An audit of postnatal contraception in a teenage pregnancy population, **Fa39**
Fairlie FM see Weeks AD et al
Farah N see Barry S et al
 see Fattah C et al
 see Maher N et al
Farah N et al. Maternal body composition as a predictor of fetal adiposity, **Fa32**
Farquharson RG see Dawood F et al
Farrar D et al. Care during the third stage of labour: a postal survey of obstetricians and midwives in the UK, **Fa40**

Author index

- Measuring placental transfusion for term births: weighing babies at birth with cord intact, **Fa7**
- Farrell T** see Datta A et al
see Kernaghan D et al
- Farrell TA** see Poku S and Farrell TA
- Fattah C** see Barry S et al
see Farah N et al
- Fattah C** et al. Body mass index in women booking for antenatal care: comparison between self-reported and digital measurement, **Fa68**
- Fernandez H** see Venketesh V et al
- Filippi E** see Abi-Nader K et al
- Filippi E** et al. Uterine artery Doppler and adverse pregnancy outcome in women with extreme Down's syndrome serum markers, **Fa26**
- Fisher A** see Stampalija T et al
- Fitzpatrick C** see Veeravalli D et al
- Flood K** et al. Gastroscisis – a worrying trend, **Fa20**
- Foley M** see Mahony R et al
see Russell NE et al
see Fonseca-Kelly Z and Foley M
- Fonseca-Kelly Z, Foley M** Technique at caesarean section – "Do what I do not what they say", **Fa57**
- Fontenla M** see Bick DE et al
- Foran A** see Flood K et al
- Ford J** see Goyder K et al
- Fox CE** et al. Maternal plasma and amniotic fluid angiogenic growth factors and their receptors (sVEGFR-1 and sTie-2) in monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome, **Fa17**
- Maternal serum markers of placental damage after fetoscopic laser ablation in monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome, **Fa17**
- The effect of fetoscopic laser ablation on maternal plasma and amniotic fluid angiogenic growth factors and their receptors in monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome, **Fa18**
- Francis-McIntyre S** see Horgan RP et al
- Franklyn J** see Vasilopoulou E et al
- Furber CM, McGowan L** The medicalising of obesity during pregnancy: forgetting the woman inside, **Fa7**
- Furness JC** see Hutchon DJR et al
- Furtado G** see Sathiyathasan S et al
- GAAbou EI** et al. Cerebral vein thromboses: experience in management in the perinatal period, **Fa62**
- Gandhi S** see Wallis L et al
- Gardiner E** et al. Establishing appropriate population-specific normal ranges for fetal thyroid measurements, **Fa21**
- Intra-operator and inter-operator reproducibility of fetal thyroid circumference measurements, **Fa20**
- Garnett M** see Venketesh V et al
- Gates S** see Sandall J et al
- Gatongi DK** see Gopal G et al
- Gauntlett R** see Richardson C et al
- Geary M** see Breathnach FM et al
see O'Sullivan O et al
- George S** et al. A large cohort study of outcomes of monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome treated by fetoscopic laser ablation, **Fa19**
- Retrospective review of monochorionic twin pregnancies complicated by twin reversed arterial perfusion, **Fa23**
- Ghosh A** et al. Questionnaire survey on fundoscopy among obstetrics and gynaecology trainees, **Fa63**
- Ghoshal S** see Attarbashi S et al
- Giamougiannis P** et al. Obstetric outcome of planned vaginal delivery in diabetic pregnancies with suspected fetal macrosomia, **Fa34**
- Giarenis I** see Giamougiannis P et al
- Gillham J** see Timeyin J et al
see Anand S and Gillham J
see Muglu J and Gillham J
see Mohan S et al
see Noori M et al
- Gillham J** et al. Can ante-natal bowel dilatation in gastoschisis have any predictive factors for counselling?, **Fa15**
- Girling JC** see Page LM et al
- Girling JC** see Page LM et al
- Goel N** et al. Epidemiology, perinatal infection risk and neonatal discharge outcome of substance use in pregnancy – a five-year experience, **Fa67**
- Goel N** see Beasley D et al
- Goichman S** see Khalil A et al
- Goldsmith L** et al. Improving uptake of post-mortem examination after stillbirth, **Fa31**
- Golightly S** see Balchin I et al
- Gopal G** et al. Maternal intensive care unit admissions in obstetrics: indications and outcome, **Fa65**
- Gosakan R** see Weeks AD et al
- Gowland PA** see Wright C et al
- Goyder K** et al. Antenatal education for instrumental births – are midwives adequately trained to facilitate adult learning and deliver effective antenatal education?, **Fa54**
- Antenatal education for instrumental births – do midwives give adequate information?, **Fa44**
- Graham B** see Denison FC et al
- Grant J** see Kennedy HP et al
see Shaw-Battista J et al
see Shaw-Battista J et al
see Walton C et al
- Grant J** et al. "Normal birth matters": the impact of an interactive, multimedia learning package on maternity staff, **Fa8**
- Green P** see Sajjad N et al
- Greenwood SL** see Drake S et al
- Guruwadayarhalli B** see Ghosh A et al
- Hackett G** see Venketesh V et al
- Haezel A** see Iftikhar S et al
- Hamid R** see Sathiyathasan S et al
- Hamilton SA** et al. Macrophage infiltration of decidua and myometrium in rat models of preterm labour, **Fa8**
- Hamouda T** see Giamougiannis P et al
- Hanretty K** see Norman JE et al
- Haque L, Crichton L** Management of pregnancy with a large pancreatic pseudocyst, **Fa69**
- Haque S** see Attarbashi S et al
- Harper N** see Denison FC et al
- Harrington K** see Khalil A et al
- Harrison M** see Heazell AEP et al
- Harvey S** see Rieley J et al
- Harvey S** et al. Descriptive audit of the standards of monitoring of low-risk women during labour, **Fa48**
- Hatem M** see Sandall J et al
- Hawkes A** see Ibish S and Hawkes A
- Heazell AE** see Horgan RP et al
- Heazell AEP** et al. Does placental histopathology help determine the cause of stillbirth?, **Fa34**
- Improving the management of women following stillbirth by a comprehensive care pathway, **Fa35**
- Using clinical indices to predict poor perinatal outcome in women who present with decreased fetal movements, **Fa35**
- Heazell AEP** see Drake S et al
see Sharp AN et al
see Theophilou G et al
- Henshaw A** see Hewett A and Henshaw A
- Herlihy CO** see Mahony R et al
- Hermis L** et al. Anal sphincter injury following operative vaginal delivery in theatre: rotational vs non-rotational forceps deliveries, **Fa49**
- Hewett A, Henshaw A** Breastfeeding, best feeding project: developing a blended learning approach to linking evidence to practice, **Fa55**
- Hewitt V** see Beasley D et al
see Goel N et al
- Higgins J** see Breathnach FM et al
see Obaidi N et al
- Higgins MF** see Russell NE et al
- Higgins S** see Breathnach FM et al
- Higson M** see Sethna F et al
- Hill A** et al. Severe pre-eclampsia: optimising care in the high dependency unit, **Fa69**
- Hill K** see Whigham C et al
- Hinshaw K** see Blake DA and Hinshaw K
- Hodgson S** see Dadavand P et al
- Hodson K** et al. Management of hypothyroidism in early pregnancy – is there a need for a national guideline?, **Fa64**
- Holder R** see Fox CE et al

- Horgan RP** *et al.* Metabolic changes in plasma and placental villous explants from women who deliver a small for gestational age baby, **Fa5**
- Howard J** see Chase A *et al*
- Howarth H** see Farrar D *et al*
- Howe DT** see Parasuraman R *et al*
see Parker L *et al*
see Parasuraman R and Howe DT
- Howells PA** see Senou GAAabou El *et al*
- Howells PA** *et al.* Venous thrombo-embolic disease in pregnancy and postpartum period: 10 years' experience, **Fa62**
- Hughes A** Audit on labour risk care pathway in relation to maternal and fetal outcomes, **Fa42**
see Costa J *et al*
- Hutchon DJR** *et al.* A retrospective cohort study of the Northern region perinatal mortality survey 1980 to 2007 of causes of intra-partum deaths, with a focus on vasa praevia and cord compression, **Fa27**
- Hutty W** see Filippi E *et al*
- Hyer S** see Balani J *et al*
see Khan RA *et al*
- Ibish S, Hawkes A** A review of variations in rates of retained placenta through the ages: an analysis of rates of retained placenta at nine hospitals in the UK and Ireland and two hospitals in Asia from the early twentieth century to the present day, **Fa53**
- Idama T** *et al.* Simple tocolysis to aid external cephalic version, **Fa38**
- Iftikhar S** *et al.* Evaluating care of women with obstetric cholestasis – are national guidelines being followed?, **Fa66**
- Ikomi A** see Jindal S *et al*
- Indusekhar R** see Laing R *et al*
- Ingram E** see MacLeod K *et al*
- Jackson C** see Heazell AEP *et al*
- Jarrett H** see Wan YL *et al*
- Jawan R** see Reddy A *et al*
- Jeyanthan K** see Sathyathasan S *et al*
- Jindal S** *et al.* A DGH experience of one-hour glucose tolerance test values: helpful or much ado about nothing?, **Fa61**
An evaluation of the constitution and quality of decision-making associated with failed first attempts at instrumental delivery, **Fa49**
Is it beneficial to screen pregnant pre-gestational diabetic women for anti-phospholipid antibodies?, **Fa60**
- Johnson A** see Balani J *et al*
see Marsh FA *et al*
see Marsh FA *et al*
- Jones NW** *et al.* Comparison of placental vascularity with three-dimensional power Doppler angiography in pre-gestational diabetes and uncomplicated pregnancies, **Fa60**
- Jones P** see Filippi E *et al*
- Jones RL** see Hamilton SA *et al*
- Joy R** see Stock SJ *et al*
- Kamat A** see Gopal G *et al*
- Kamran M** see Mutema E *et al*
- Karam A** see Khan L *et al*
- Karam AK** Uterine natural killer cells in patients with recurrent miscarriage show evidence of proliferation and differentiation but not trafficking, **Fa58**
- Karri K, Masson G** Prenatal detection of structural cardiac abnormalities on antenatal scans and outcome, **Fa25**
- Katakam N** see Patel SS *et al*
see Vitthala S *et al*
- Kayani S** *et al.* Two-year outcomes for infants with low cord pH at birth, **Fa37**
- Kell DB** see Horgan RP *et al*
- Kendrick A** *et al.* A prospective observational study of the effect of dyslipidaemia on pregnancy outcome in obese women, **Fa26**
- Kennedy HP** *et al.* Supporting normal and optimal birth: an ethnographic study, **Fa43**
- Kennedy HPowell** see Shaw-Battista J *et al*
see Walton C *et al*
- Kennedy NA** *et al.* An audit of the postnatal management of antenatally detected hydronephrosis, **Fa21**
- Kennelly M** *et al.* Isolated severe fetal ventriculomegaly: outcome and role of cephalocentesis in management, **Fa23**
- Kenny LC** see Horgan RP *et al*
- Kent E** see Flood K *et al*
- Kernaghan D** *et al.* Are commercial assay pregnancy reference ranges for thyroid stimulating hormone, free thyroxine and tri-iodothyronine, appropriate for use in Glasgow?, **Fa66**
- Kernaghan D** see Hermis L *et al*
- Kernaghan D** *et al.* Fetal size and growth velocity in the prediction of shoulder dystocia in a glucose impaired population, **Fa44**
- Khalil A** *et al.* First trimester markers for the prediction of pre-eclampsia in women with a priori high risk, **Fa9**
- Khan KS** see Malin GL *et al*
- Khan L** *et al.* High numbers of uterine natural killer cells lead to a hostile endometrial environment for implantation in patients with recurrent implantation failure, **Fa59**
- Khan R** see Jindal S *et al*
- Khan R** *et al.* Five years' experience of ultrasound detection of congenital anomalies at Singleton Hospital, **Fa24**
- Khan RA** *et al.* Pregnancy and obesity: an epidemic of obese pregnant women in a southwest London hospital, **Fa59**
- Khaund A** see Kernaghan D *et al*
- Khazaeezadeh N** *et al.* Tackling obesity in women: the service providers story, **Fa67**
- Khwanda A** see Langford E *et al*
- Khyzer F** see Rustamov O *et al*
- Kilby M** see Chandra P *et al*
see George S *et al*
see Patel D *et al*
see Rasiah SV *et al*
see Stewart K *et al*
see Vasilopoulou E *et al*
- Kilby MD** see Fox CE *et al*
see George S *et al*
see Malin GL *et al*
see Tonks AM *et al*
- Knight M** Extreme obesity in pregnancy in the UK: prevalence, pregnancy complications and outcomes, **Fa6**
- Knight T, Macphail S** Prom before 24 weeks – how optimistic should we be?, **Fa29**
- Konje J** see Verma A *et al*
- Kopeika J** see Khazaeezadeh N *et al*
- Krishnamoorthy U** see Misfar N *et al*
- Kumar S** see Damodaram M *et al*
see Story L *et al*
- Kumar S** *et al.* Radiofrequency ablation for selective reduction in complex monochorionic pregnancies, **Fa12**
- Kundodywa TW** *et al.* Propess or prostin: prospective audit of labour induction at the Liverpool Women's Hospital, **Fa47**
- Kurinczuk JJ** see Boyd PA *et al*
- Kurugollu F** see Saxena A *et al*
- Lachelin GCL** *et al.* Low saliva progesterone concentrations are associated with spontaneous early preterm labour (before 34 weeks of gestation) in high-risk women, **Fa6**
- Laher R** see Chase A *et al*
- Laing R** *et al.* Post-natal bleeding from a rectal Dieulafoy lesion, **Fa52**
- Lambert H** see Kennedy NA *et al*
- Land S** see Campbell JC *et al*
see Stanley KP *et al*
- Landon CR** see Marsh FA *et al*
- Langford E** *et al.* Oxygen saturation response to exercise in healthy pregnant women, **Fa65**
- Langford KS** see Langford E *et al*
- Larkins SA** see Tonks AM *et al*
- Lash GE** see Fox CE *et al*
see Shirbhatte R *et al*
- Law G** see Farrar D *et al*
- Layton M** see Chase A *et al*
- Leap N** see Grant J *et al*
- Lengyel J** see Laing R *et al*
- Letchworth P** *et al.* Pregnancy outcome in women with unexplained antepartum haemorrhage, **Fa36**
- Lewin I** see Pearson G *et al*
- Li S, Smith N** Audit of decision to delivery intervals for assisted vaginal deliveries, **Fa55**
- Liddie J** see Maharajan P *et al*
- Liebling RE** see Burden CA *et al*
see Platt SL *et al*
- Likeman M** see Platt SL *et al*
- Lindsay R** see Kernaghan D *et al*
- Lindsay RS** see Gardiner E *et al*
- Lloyd-Hennie D** see Noori M *et al*
- Lonergan K** see Khazaeezadeh N *et al*

Author index

- Loubière L** see Vasilopoulou E et al
Loughney AD see Richardson C et al
see Shortt N et al
Love CDB see Cornell RL et al
see Goldsmith L et al
see Stock SJ et al
Luckas M see Ballal S et al
Lye SL see Hamilton SA et al
Lynch J see Denison FC et al
Lyons GR see Sadashivaiah JB et al
- Mackenzie F** see Gardiner E et al
see Kernaghan D et al
see Norman JE et al
MacLennan G see Norman JE et al
MacLeod K et al. Estimating fetal weight and actual fetal weight in dichorionic twins: accuracy and clinical significance, **Fa22**
Macphail S see Knight T and Macphail S
Macpherson M see Walker KF et al
Mactier H see Norman JE et al
Madhvani K see Barua A et al
Maharajan P et al. Preconceptual care in diabetic women: where do we stand?, **Fa37**
Maher N et al. Maternal morbid obesity and pregnancy outcomes, **Fa32**
Mahony R et al. Can twin pregnancy be safely prolonged to term (37 weeks gestation), **Fa6**
Improving selection for antenatal corticosteroid therapy in potential preterm birth, **Fa18**
Obstetric precursors of singleton preterm birth <34 weeks gestation in a centre with a low incidence of preterm delivery, **Fa52**
Mahony R see Fox CE et al
see George S et al
see Ryan HM et al
Maiti S see Papoutsos C et al
Majeed T see Weeks AD et al
Malik S et al. Cell saver in massive obstetric haemorrhage – review of literature and our experience over three years, **Fa69**
Malin GL et al. Antenatal intervention in the management of lower urinary tract obstruction: a systematic review of effectiveness with meta-analysis, **Fa18**
Umbilical cord pH in the prediction of neonatal and long term morbidity: a systematic review of the literature and meta-analysis, **Fa26**
Malone F see Flood K et al
Malone FD see Breathnach FM et al
Maresh M see Papoutsos C et al
Maric T see Letchworth P et al
Marsh FA et al. An increasing rate of obstetric anal sphincter injury in a busy obstetric unit. What factors are responsible?, **Fa45**
Does the type of vaginal delivery influence morbidity associated with obstetric anal sphincter injury?, **Fa31**
Factors associated with prolonged faecal and urinary symptoms following obstetric anal sphincter injury from 2004 to 2008, **Fa30**
Marshall H see Harvey S et al
Martin B see George S et al
see Norman JE et al
Martin J see Abi-Nader K et al
see Singh N et al
Martin W see George S et al
Martindale EA see Heazell AEP et al
see Iftikhar S et al
see Theophilou G et al
Masson G see Karri K and Masson G
see Stephens KC and Masson G
Mastoroudes H see Vousden N et al
Mathers A see Harvey S et al
see Sewnauth K et al
Mazhar S see Ghosh A et al
McAuliffe F see Breathnach FM et al
see Mahony R et al
see O'Sullivan O et al
see Ryan HM et al
McAuliffe FM see Russell NE et al
McCabe C see Vasilopoulou E et al
McCarthy A see Chase A et al
McCourt C see Bastos MH et al
McGarrigle HG see Lachelin GCL et al
- McGowan L** see Furber CM and McGowan L
McGuinness A see Damodaram M et al
McKeating A see Mahony R et al
McKelvey AC et al. Absent fetal stomach – the implications, **Fa13**
McLernon D see Bell JS et al
McLure H see Sadashivaiah JB et al
McParland P see Kennelly M et al
see Ryan HM et al
McParlin C et al. Changes in objectively measured physical activity levels during pregnancy in overweight and obese women, **Fa65**
McRobbie SJ see Stock SJ et al
Mehta V see Abi-Nader K et al
Meiri H see Khalil A et al
Melchiorre K et al. Assessment of maternal radial and longitudinal systolic function in pregnancies complicated by early onset pre-eclampsia, **Fa59**
Do maternal cardiac structural abnormalities predispose to high-resistance uterine artery Doppler indices?, **Fa10**
Maternal diastolic function assessed by mitral inflow pattern and tissue Doppler in pregnancies complicated by early onset pre-eclampsia, **Fa60**
Maternal haemodynamic changes and heart remodelling in pregnancies complicated by early onset pre-eclampsia, **Fa59**
Menakaya C see Attarbashi S et al
Miller P see Patel D et al
see Rasiah SV et al
see Stewart K et al
Mirembe FM see Weeks AD et al
Mires G see Norman JE et al
Mirza M see Sengupta N et al
Misfar N et al. Range of settings and range of options for induction of labour enhances normality in child birth, **Fa46**
Mistry V see Patel D et al
Modder J see Balchin I et al
Mohan S et al. Caesarean section-related anaemia and transfusion and the application of cell salvage, **Fa54**
Mohiddin A see Khazaiezadeh N et al
Moore A see Chandra P et al
Morabito A see Gillham J et al
Moran P see Abdulla H and Moran P
see Say RE and Moran P
see Sethna F and Moran P
Morris DM see Wright C et al
Morris RK see Malin GL et al
Morrison JJ see Breathnach FM et al
Moselhi M see Khan R et al
Mousa H see Howells PA et al
see Jones NW et al
see Senoun GAAbou El et al
Mousa HA see Pankhurst SK et al
Mudzamiri J see Singh M et al
Muglu J, Gillham J Sub-optimal care in perineal repairs and retained placenta, **Fa42**
Mulcahy C see Mahony R et al
Mulcahy CH see Russell NE et al
Mummadi A see Drake S et al
Munro K see Cornell RL et al
Muotune A see Patel SS et al
Murdoch E see Venketesh V et al
Murphy DJ see Bahl R et al
Murphy M see Mahony R et al
Mutema E et al. Comparative review of continuous infusion vs patient controlled epidural use in primigravid women, **Fa45**
Myers B see Howells PA et al
see Senoun GAAbou El et al
- Nagabushanam S** see Stock SJ et al
Nama V et al. Steroid usage in recurrent miscarriage – is it of benefit?, **Fa38**
Namayanga A see Weeks AD et al
Narchi NZ see Bastos MH et al
Nasir S et al. Prospective observational study of women attending the preterm labour clinic, **Fa29**
Nasr R see McKelvey AC et al
Neilson J see Turton PA et al
Neville P see Saroja CS Mallappa et al
Nicholl A see Gopal G et al
Nicholls C see Beasley D et al

- see Goel N et al
- Nikolopoulos I** see Verma A et al
- Noori M** et al. A prospective study of highly sensitive C-reactive protein throughout pregnancy and postpartum in women who developed pre-eclampsia and pregnancy-induced hypertension, **Fa10**
- Body mass index of 23–24.9 increases the risk of adverse obstetric and perinatal outcomes, **Fa28**
- Norman JE** et al. A randomised, double-masked, placebo-controlled study of progesterone for the prevention of preterm birth in twins (stoppit), **Fa8**
- Norrie G** see Denison FC et al
- Norrie J** see Norman JE et al
- O'Brien D** see O'Sullivan O et al
- Prediction of peripartum hysterectomy and end organ failure in severe obstetric haemorrhage, **Fa58**
- O'Donoghue K** see Obaidi N et al
see Ooi W et al
- O'Herlihy C** see Mahony R et al
- O'Sullivan O** see Heazell AEP et al
- O'Sullivan O** et al. Clinico-pathological correlations in peripartum hysterectomy, **Fa70**
- Obaidi N** et al. Natural history of anencephaly, **Fa25**
- Odukoya O** see Singh M et al
- Ojutiku D** see Jindal S et al
- Oki B** see Khazaeezadeh N et al
see Kernaghan D et al
- Oliver A, Strachan B** Maternal morbidity following instrumental delivery: an individual responsibility?, **Fa45**
- Oliver A** see Bahl R et al
- Ong S** see Costa J et al
see Saxena A et al
- Ong SSC** see Devaseelan JP et al
- Ooi W** et al. Factors affecting secondary recurrent miscarriage, **Fa39**
- Osoba L** see Adeyemi OO and Osoba L
- Oteng-Ntim E** see Chase A et al
see Khazaeezadeh N et al
- Othman M** et al. Cervical immunobiology in women at risk of preterm labour (Cervix study), **Fa38**
- Overton TG** see Burden CA et al
see Platt SL et al
- Owen P** see Kernaghan D et al
see Norman JE et al
see Sewnauth K et al
- Page LM** et al. Should older women be offered early induction of labour?, **Fa27**
Term stillbirths: who is at risk?, **Fa33**
- Paley M** see Wallis L et al
- Pandya P** see Filippi E et al
- Pankhurst SK** et al. Confined placental mosaicism: rate of amniocentesis and pregnancy outcome, **Fa24**
- Papoutsos C** et al. Ten-year observational study on peripartum hysterectomies in St. Mary's Hospital, Manchester, **Fa50**
- Paramasivam G** see Kumar S et al
see Story L et al
- Parasuraman R, Howe DT** Reproducibility of fetal myocardial performance index, **Fa13**
- Parasuraman R** et al. Diagnosis of placenta accreta and experience with interventional radiology: the Southampton learning curve, **Fa63**
Outcomes for antenatally diagnosed small or absent stomachs, **Fa22**
- Parker GJM** see Wright C et al
- Parker L** et al. Distribution of birthweight discrepancy in twin pregnancies, **Fa21**
- Parveen A** see Rajagopalan M et al
- Parveen AS** see Saroja CS Mallappa et al
- Patel D** et al. The incidence of congenital heart disease and outcomes of fetuses born to mothers with cardiac conditions, **Fa15**
- Patel S** see Singh N et al
see Vithala S et al
- Patel SS** et al. Cost-effectiveness of external cephalic version, **Fa49**
- Pearce MS** see McParlin C et al
see Tennant PWG et al
see Whiston S et al
- Pearson G** et al. Novel insulin receptor mutation leading to insulin resistance in pregnancy, **Fa70**
- Peebles D** see Filippi E et al
see Reddy A et al
- Peebles DM** see Abi-Nader K et al
- Peregrine E** see Filippi E et al
- Petts G** see Abi-Nader K et al
- Pheasant H** see Khazaeezadeh N et al
- Platt MJ** see Agarwal U et al
- Platt SL** et al. Clinical value of fetal brain MRI: indications and limitations, **Fa15**
- Poku S, Farrell TA** Pregnancy outcome in mothers at risk of gestational diabetes, **Fa64**
- Poku S** see Singh M et al
- Ponnusamy V** see Stanley KP et al
- Poston L** see Lachelin GCL et al
see Wheeler SJ et al
- Pretlove SJ** see Fox CE et al
- Price C** see Khan R et al
- Prosser-Snelling E** see Campbell JC et al
- Pundir J, Sinha P** Fetal macrosomia in absence of diabetes – a rising trend, **Fa32**
- Quenby S** see Arrowsmith S et al
see Dawood F et al
see Kendrick A et al
see Khan L et al
see Nasir S et al
see Othman M et al
see Shirbhate R et al
see Turton PA et al
see Turton PA et al
- Rashid Y** see Weeks AD et al
- Rafferty G** see Farah N et al
- Raine-Fenning N** see Jones NW et al
- Rajagopalan M** et al. Correlation between cardiotocograph and short-term neonatal outcome, **Fa57**
- Rajasingham D** see Voulsden N et al
see Watson KM and Rajasingham D
- Rajkumar V** see Beasley D et al
see Goel N et al
- Ramage CM** see Marsh FA et al
- Rankin J** see Dadvand P et al
see McParlin C et al
see Tennant PWG et al
see Whiston S et al
- Rankin JM** see Boyd PA et al
- Rauf S** et al. Nuchal translucency screening for Down's syndrome in a dedicated multiple pregnancy clinic: a patient survey, **Fa20**
- Rasiah SV** et al. Prenatal diagnosis and outcome of fetuses with transposition of the great arteries, **Fa14**
Referral patterns and fetal echocardiography findings in mothers at high-risk of congenital heart disease: a 10-year experience, **FaFa14**
- Rasiah SV** see Patel D et al
see Stewart K et al
- Rasiah V** see Chandra P et al
- Reddy A** see McKelvey AC et al
see Saroja CS Mallappa et al
- Reddy A** et al. Accuracy of fetal weight estimation by two-dimensional ultrasound at limits of viability and implications on clinical decisions, **Fa16**
- Reynolds P** see Duffy DA and Reynolds P
see Duffy DA and Reynolds P
- Reynolds RM** see Denison FC et al
- Rice H** see Costa J et al
see Rajagopalan M et al
see Saroja CS Mallappa et al
- Richards S** see Pankhurst SK et al
- Richardson A** see Parasuraman R et al
- Richardson C** et al. Evaluation of the performance of a modified obstetric early warning score, **Fa42**
- Riddett B, Vause S** Women's views on the frequency of vaginal examination in labour, **Fa48**
- Riley J** et al. Impact of fetal fibronectin testing in a district general maternity unit, **Fa56**
- Riley J** see Harvey S et al
- Rigg J** see Mutema E et al
- Roberts D** see Ballal S et al
see Tang A et al
- Robson SC** see Kennedy NA et al
see McParlin C et al
see Shirbhate R et al

Author index

- Rogerson LJ** see Marsh FA et al
Rounding C see Boyd PA et al
Rushton S see Dadvand P et al
Russell N see Obaidi N et al
 see Ryan HM et al
Russell NE et al. Does Doppler have a role in monitoring type 1 diabetic pregnancy?, Fa14
 Third trimester umbilical and middle cerebral Doppler in type 1 diabetic pregnancy – can trend predict risk?, Fa14
Russell NE see Ooi W et al
Rustamov O et al. Uterine tamponade with bakri postpartum balloon to stop bleeding in major postpartum haemorrhage, Fa46
Rutherford M see Damodaram M et al
 see Damodaram M et al
 see Story L et al
Ryan HM et al. The predictive value of middle cerebral artery indices for fetal anaemia at the time of the first intrauterine transfusion, Fa15
Rycroft-Malone J see Bick DE et al
- Sadashivaiah JB** et al. Prophylactic balloon catheterisation of the uterine artery can cause fetal compromise, Fa29
Sahasrabudhe N see Theophilou G et al
Sajjad N et al. Audit of failed induction of labour, Fa32
Sandall J see Grant J et al
 see Kennedy HP et al
 see Shaw-Battista J et al
 see Shaw-Battista J et al
 see Walton C et al
Sandall J et al. Midwife-led vs other models of care for childbearing women: implications of findings from a cochrane meta-analysis mid, Fa42
Sanders TA see Wheeler SJ et al
Sanusi A see Subair O et al
Saroja CS Mallappa et al. Gastric banding and pregnancy with complication of gastric torsion, Fa68
Sasson S see Vitthal S et al
Sathiyathanan S et al. A case of pneumomediastinum in pregnancy, Fa67
Savenko I see Sajjad N et al
Saxena A see Khazaezadeh N et al
Saxena A et al. Fetal surveillance using pattern recognition computer software, Fa23
Say RE, Moran P Turning the management of breech presentation upside down, Fa38
Scholefield H see Veeravalli D et al
Schram CMH see Heazell AEP et al
 see Iftikhar S et al
Seed P see Bolt LA et al
Seed PT see Briley AL et al
 see Lachelin GCL et al
 see Wheeler SJ et al
Seers K see Bick DE et al
Selman T, Young P Obstetric practice – is it really evidence-based?, Fa67
Semple R see Pearson G et al
Sengupta N et al. Helping the helpers: debriefing following adverse events – prospective survey, Fa41
Sengupta S see Vitthal S et al
Senoun GAAbou EI see Howells PA et al
Senoun GAAbou et al. Inferior vena cava filter use in pregnancy: preliminary experience and failure of retrieval in two cases, Fa62
Sethna F, Moran P Spina bifida – does level of lesion influence parental decision to terminate or continue an affected pregnancy?, Fa12
Sethna F et al. Clinical negligence scheme for trusts. Pilot maternity clinical risk management standards: should we be refining our clinical triggers?, Fa43
Sewnauth K et al. Audit of the prevention and management of shoulder dystocia in Greater Glasgow and Clyde, Fa51
Shah N see Raouf S et al
Shah S see Maharajan P et al
Shamsudin L see Hutchon DJR et al
Sharp AN et al. Trophoblast apoptosis is p53-dependent and susceptible to modulation, Fa58
Shaw NJ see Kayani S et al
Shaw-Battista J et al. Do clinical guidelines support normal birth? A qualitative analysis, Fa48
 Support for decision-making within uncertainty: maternity case studies, Fa48
Shaw-Battista J see Kennedy HP et al
 see Walton C et al
- Shawkat E, Davies J** An audit of compliance with a modified obstetric early warning score in a district general hospital, Fa65
Shehata H see Balani J et al
 see Khan RA et al
 see Nama V et al
Shennan A see Voudsen N et al
Shennan AH see Bolt LA et al
 see Duhig KE et al
 see Lachelin GCL et al
 see Tasker F et al
 see von Rege I et al
Shirbhate R et al. The role of cervical cytokines in preterm labour, Fa44
Shortt N et al. Consequences of the Term Breech Trial on the management and outcomes of undiagnosed term breech pregnancies, Fa54
Shuheibar H see Wan YL et al
Shynlova O see Hamilton SA et al
Sibley CP see Drake S et al
 see Wright C et al
Singh M et al. The impact of maternal obesity on pregnancy outcomes, Fa33
 The prognostic significance of maternal CA 125 in threatened miscarriage, Fa33
Singh N see Iftikhar S et al
Singhal T see Malik S et al
Sinha P see Pundir J and Sinha P
Smajer B see Saroja CS Mallappa et al
Smith GC see Walker KF et al
Smith M see Wallis L et al
Smith MC see Shirbhate R et al
Smith N see Li S and Smith N
Smith RP see Giamougiannis P et al
Sohal M see Chase A et al
Soltani H see Sandall J et al
Soothill PW see Bills VL et al
 see Platt SL et al
Sote R see Singh M et al
Spence D see Costa J et al
Spencer K see Khalil A et al
Springett A see Balchin I et al
Stampalija T see Othman M et al
Stampalija T et al. Extraction and analysis of fetal ECG by trans-abdominal recording using Monica AN24, Fa11
Stanley KP see Campbell JC et al
 see Giamougiannis P et al
Stanley KP et al. Antenatal intrauterine growth restriction and prematurity in type 1 diabetes: possible contribution to a low PNMR, Fa66
Stanton R see Veeravalli D et al
Staughton J see Filippi E et al
Stephen G see Heazell AEP et al
Stephens KC, Masson G Methicillin-resistant *Staphylococcus aureus* screening in obstetric women, Fa70
Stewart K et al. Antenatal management and outcome of fetal tachyarrhythmia: a 10-year experience in a tertiary fetal medicine unit, Fa11
Stock S see Goldsmith L et al
Stock SJ et al. Placenta praevia – changes in incidence, management and outcomes, Fa63
Stokes I see Saroja CS Mallappa et al
Story L see Damodaram M et al
 see Damodaram M et al
Story L et al. Vessel diameters in growth restricted fetuses, Fa13
Strachan B see Bahl R et al
 see Bahl R et al
 see Bahl R et al
 see Goyder K et al
 see Goyder K et al
 see Oliver A and Strachan B
Stuard B see Fattah C et al
 see Barry S et al
 see Farah N et al
 see Maher N et al
Sturgiss S see Norman JE et al
Styles L see Parasuraman R et al
Subair O et al. Vaginal twin deliveries: a survey of senior obstetric trainees in the UK, Fa54
Sudhakar S, Taylor MJ Comparison of off-line three-dimensional and real-time two-dimensional ultrasound assessment of nuchal translucency: a pilot study of 100 cases, Fa4

- Sunanda GV** see Raouf S et al
Sutherland G see Melchiorre K et al
- Tan M** see Kayani S et al
Tang A et al. Liverpool women's stillbirth audit: standards of care and their relation to gestational age, **Fa39**
Tang A see Khan L et al
Tasker F et al. Does a novel automated auscultatory device measure blood pressure accurately in pregnancy and pre-eclampsia? Tensoval duo control, **Fa58**
Taylor MJ see Sudhakar S and Taylor MJ
Taylor-Robinson D see Agarwal U et al
Temple IK see Parker L et al
Temple RC see Stanley KP et al
Tennant P see McParlin C et al
Tennant PWG see Whiston S et al
Tennant PWG et al. Twenty-year survival of children born with congenital anomalies, **Fa33**
Tezcan B see Abi-Nader K et al
Theophilou G et al. Abnormal placental morphology detected by routine antenatal ultrasonography – correlation with obstetric outcome and histology examination, **Fa22**
Thilaganathan B see Melchiorre K et al
Thomas JE see Wheeler SJ et al
Thomson A see Harvey S et al
 see Rieley J et al
Thornton J see Walker KF et al
Thornton S see Norman JE et al
Thum Y see Nama V et al
Tierney J see Hermis L et al
Timeyin J et al. Uptake, success rate, counselling and documentation of vaginal birth after caesarean in a tertiary centre, **Fa53**
Tinker D see Patel SS et al
Tomlinson AJ see Vithala S et al
Tomlinson J see Singh N et al
Tonks A see Rasiah SV et al
Tonks AM et al. Audit of first trimester chorionic villous sampling outcomes: a regional, population-based study, **Fa4**
Toole FO see Fattah C et al
Topping J see Dawood F et al
 see Kundodywa TW et al
Torondel B see Abi-Nader K et al
Tower C see Chirico D et al
 see Wan YL et al
Tower CL et al. Positive impact of a structured proforma and prospective audit on decision to delivery intervals for instrumental vaginal delivery, **Fa50**
 Trial of instrumental delivery in theatre – does the time of day matter?, **Fa50**
Tower CL see Hamilton SA et al
Tucker J see Bell JS et al
 see Chebsey CS et al
Tuffnell D see Farrar D et al
 see Farrar D et al
Turner M see Farah N et al
 see Fattah C et al
 see Khan L et al
Turner MJ see Barry S et al
 see Maher N et al
Turton PA et al. Does uterine anomaly really cause preterm labour? A meta-analysis using the Bradford Hill criteria, **Fa56**
 The effect of increasing uterine stretch and progesterone on contractile properties of myometrium in multiple pregnancy, **Fa40**
Twomey A see Mahony R et al
Tydemar G see Norman JE et al
 see Whigham C et al
- Vaithilingam N** see Sengupta N et al
Vasiliopoulos E et al. Human primary cytotrophoblasts from normal and intrauterine growth restriction pregnancies respond differently to T3 treatment in vitro, **Fa5**
 The role of the thyroid hormone monocarboxylate transporter 8 in human placental development, **Fa11**
Vause S see Tower CL et al
 see Wan YL et al
 see Riddett B and Vause S
- Veeravalli D** et al. Admissions to a specialist maternal high dependency unit, **Fa27**
Venketesh V et al. Does fetal MRI add useful diagnostic information for counselling, pregnancy and postnatal planning for babies with antenatal CNS anomalies?, **Fa16**
Verma A et al. Low second trimester maternal serum alphafetoprotein and perinatal outcome, **Fa24**
Vernon G see Weeks AD et al
Vithala S et al. Case series of post-operative pelvic infection following uterine brace sutures applied for major postpartum haemorrhage, **Fa51**
von Rege I et al. Comparison of pregnancy outcome after repeat cervical surgery and single procedures, **Fa34**
Vousden N et al. Preterm prelabour rupture of membranes: maternal blood tests and maternal and fetal outcome, **Fa25**
Walker KF et al. Induction of labour at term for nulliparous women of advanced maternal age: a national UK survey, **Fa51**
Wallis L et al. Subdural, subgaleal and cephalohaematoma. are these results of obstetric trauma?, **Fa7**
Walsh CE see Hill A et al
Walton C see Kennedy HP et al
 see Shaw-Battista J et al
 see Shaw-Battista J et al
Walton C et al. Vaginal birth after caesarean section: how much choice do women have?, **Fa43**
Walton K An audit of antenatal management and pregnancy outcomes of obese women at Sunderland Royal Hospital, **Fa69**
Wan Y see Tower CL et al
Wan YL et al. Is terbutaline a better tocolytic for external cephalic version? Experience at a tertiary referral hospital, **Fa53**
Watson KM, Rajasingham D Provision of preconception care services for women with diabetes: stakeholder analysis and future service delivery recommendations, **Fa1**
Waugh J see Sethna F et al
Webster S see Shortt N et al
Weeks A, Barton A Measured fetal head descent in induced labours using the stationmaster: a pilot study, **Fa46**
Weeks A see Deole N and Weeks A
Weeks AD et al. The release trial: a randomised trial of umbilical vein oxytocin for retained placenta, **Fa7**
Weeks AD see Cheung WMC and Weeks AD
Wellesley D see Parasuraman R et al
Welsh J see Sewnauth K et al
West D see Laing R et al
Wheeler D see Kennedy NA et al
Wheeler SJ et al. Maternal plasma fatty acid composition and pregnancy outcome in pregnant adolescents: the About Teenage Eating study, **Fa9**
Whigham C et al. Does a normally sited placenta at 18–20 weeks rule out placenta praevia?, **Fa5**
Whiston S et al. Prevalence and outcome for individuals with Down syndrome, 1985–2003, **Fa6**
Whitby E see Wallis L et al
Whittaker J see Balchin I et al
Whitten SM see McKelvey AC et al
Whitworth M see Nasir S et al
 see Tang A et al
Whitworth MK, Alfrevic Z Management and diagnosis of threatened preterm labour – what are we actually doing?, **Fa44**
Wiechec M see Kumar S et al
Wigley V see Abi-Nader K et al
Wijesiriwardana A see Hodson K et al
Wilkinson K see Marsh FA et al
Williams B see Vithala S et al
Williams DJ see Noori M et al
Wilson R see Sadashivaiah JB et al
Wimalasundera R see Kumar S et al
Wolfe J see Ezra C and Wolfe J
Wood L see Kendrick A et al
Woods L see Nasir S et al
Wray S see Arrowsmith S et al
 see Turton PA et al
Wright A see Marsh FA et al
Wright C et al. Magnetic resonance imaging of the placenta at 1.5 tesla, **Fa22**

Author index

Wright J see Patel D et al
see Rasiah SV et al
see Stewart K et al
Wyldes MP see Tonks AM et al

Yasmaras B see Raouf S et al
Young P see Selman T and Young P

Youssef T see Rustamov O et al
Xoxall B see Agarwal U et al
Yuill G see Mutema E et al

Zachary I see Abi-Nader K et al