

- Abbott D** *see* Mohan S *et al*
- Abdullahi H, Moran P** Isolated duodenal atresia is associated with a lower risk of trisomy 21 compared to non-isolated duodenal atresia, **Fa20**
- Abi-Nader K** *et al*. Local over-expression of vascular endothelial growth factor in the uterine arteries results in long-term changes in uterine artery blood flow and vascular reactivity in the pregnant sheep, **Fa4**
- Abu-Harb M, Moran P** How effective is screening for cardiac anomalies and how accurate is the prenatal diagnosis in the northern region?, **Fa11**
- Acharya J** *see* Chetan UR *et al*
- Adamson AJ** *see* McParlin C *et al*
- Adeyemi OO, Osoba L** The role of phosphorylated insulin-like growth factor binding protein-1 and transvaginal scan for cervical assessment in predicting preterm labour in twin pregnancies, **Fa36**
- Agarwal U** *et al*. Analysis of factors influencing the preterm birth rate in a tertiary obstetric unit in the UK, **Fa28**
- Agrawal R** *see* Misfar N *et al*
- Ainsworth L** *see* Misfar N *et al*
- Airey R** *see* Farrar D *et al*
- Akanmu O** *see* Hodson K *et al*
- Alfirevic Z** *see* Agarwal U *et al*
see Kayani S *et al*
see Kundodyiwa TW *et al*
see Othman M *et al*
see Stampalija T *et al*
see Tang A *et al*
see Turton PA *et al*
see Weeks AD *et al*
see Whitworth MK and Alfirevic Z
- Alia G** *see* Weeks AD *et al*
- Allsop J** *see* Damodaram M *et al*
- Amaral N** *see* Langford E *et al*
- Amu O** *see* Chetan UR *et al*
see Rustamov O *et al*
- Anand S, Gillham J** "I've got twins – how should I deliver?" – unit-specific counselling, **Fa47**
- Angala P** *see* Jindal S *et al*
- Arrowsmith S** *see* Turton PA *et al*
- Arrowsmith S** *et al*. Myometrium from post-dates pregnancy shows reduced spontaneous contractility in vitro, **Fa40**
- Arulkumaran S** *see* Noori M *et al*
- Aseri S** *see* Mutema E *et al*
- Atherton C** *see* Dhanaliwala A *et al*
- Attarbashi S** *et al*. Spontaneous subcutaneous emphysema following normal delivery – a case report and review of literature, **Fa53**
- Attilakos G** *see* Platt SL *et al*
- Babiker W** *see* O'Sullivan O *et al*
- Backhouse K** *see* Parasuraman R *et al*
- Backos M** *see* Page LM *et al*
- Bahl R** *see* Chebsey CS *et al*
see Goyder K *et al*
- Bahl R** *et al*. Decision-making in instrumental delivery: when, where and which instrument, **Fa41**
 Non-technical skills for obstetricians conducting operative vaginal deliveries, **Fa41**
 The script concordance test: a valid tool for obstetrics?, **Fa46**
- Bakali E** *see* Verma A *et al*
- Baker P** *see* Chirico D *et al*
- Baker PN** *see* Horgan RP *et al*
see Sharp AN *et al*
see Wheeler SJ *et al*
see Wright C *et al*
- Balani J** *et al*. Metformin in gestational diabetes – a review of 127 patients and a comparison with insulin treated patients, **Fa60**
- Balchin I** *et al*. The gestation-specific risk and predictors of antepartum stillbirth in babies of women with type 1 and type 2 diabetes in England, Wales and Northern Ireland: a population based study, **Fa9**
- Ballal S** *see* Idama T *et al*
- Ballal S** *et al*. Hypoxemic ischaemic encephalopathy: is it always avoidable?, **Fa57**
- Baltabaeva A** *see* Melchiorre K *et al*
- Bancroft K** *see* Dhanaliwala A *et al*
see Singh N *et al*
see Vitthala S *et al*
- Banerjee S** *see* Beasley D *et al*
see Goel N *et al*
- Bansal A** *see* Nama V *et al*
- Barrett M** *see* Flood K *et al*
- Barry C** *see* Flood K *et al*
- Barry S** *see* Farah N *et al*
see Maher N *et al*
- Barry S** *et al*. Maternal bioelectrical impedance analysis is a better predictor of birth weight than body mass index, **Fa62**
- Barton A** *see* Weeks A and Barton A
- Barua A** *see* Parasuraman R *et al*
- Barua A** *et al*. Methicillin-resistant *Staphylococcus aureus* screening in obstetrics: does it meet World Health Organization recommended criteria?, **Fa68**
- Bastos M** *see* Grant J *et al*
- Bastos MH** *et al*. Episiotomy in Brazil: understanding the context for routine practice, **Fa47**
- Bates DO** *see* Bills VL *et al*
- Beasley D** *see* Goel N *et al*
- Beasley D** *et al*. Neonatal morbidity following substance use in pregnancy – a five-year experience, **Fa29**
- Bell B** *see* Devaseelan JP *et al*
- Bell JS** *et al*. An investigation of the relationship between obesity, twinning rates and perinatal outcomes in Aberdeen, **Fa31**
- Bell R** *see* McParlin C *et al*
see Whiston S *et al*
- Bewley S** *see* Briley AL *et al*
see Khazaezadeh N *et al*
- Bhatia K** *see* Theophilou G *et al*
- Bhattacharya S** *see* Bell JS *et al*
 Inherited predisposition to spontaneous preterm birth, **Fa40**
- Bick D** *see* Bastos MH *et al*
- Bick DE** *et al*. Impact on practice and service delivery of the use of an integrated care pathway to support normal birth in one English birth centre: practice facilitator or barrier?, **Fa46**
- Bills VL** *et al*. Biological activity of vascular endothelial growth factor in pre-eclampsia, **Fa8**
- Biswas S** *see* Verma A *et al*
- Blake DA, Hinshaw K** Folic acid supplementation in pregnancy – the harsh reality, **Fa30**
- Boey V** *see* Marsh FA *et al*
- Bolt LA** *see* Tasker F *et al*
- Bolt LA** *et al*. The combined use of two powerful predictors of preterm birth in high-risk asymptomatic women, **Fa5**
- Boret T** *see* Subair O *et al*
- Boyd M** *see* Abi-Nader K *et al*
- Boyd PA** *et al*. Evaluation of the Down's syndrome antenatal screening programme using data from the British Isles Network of Congenital Anomaly Registers, **Fa12**
- Brackley K** *see* Parasuraman R *et al*
- Bradley E** *see* Jones NW *et al*
- Breathnach FM** *et al*. Effect of gestational age on the acquisition of middle cerebral artery waveforms in twin pregnancies from 22 weeks' gestation to term, **Fa19**
 Successful umbilical artery Doppler in twin pregnancies from 22 weeks' gestation to term: experience from a large population study, **Fa19**
- Bricker L** *see* MacLeod K *et al*
- Briley A** *see* Lachelin GCL *et al*
- Briley AL** *et al*. "Stiffen the sinews, summon up the blood...", **Fa45**
- Broadhurst DI** *see* Horgan RP *et al*
- Brooks H** *see* Malik S *et al*
- Brown MC** *see* Horgan RP *et al*
- Bruce I** *see* Chirico D *et al*
- Bugg G** *see* Jones NW *et al*
see Walker KF *et al*
- Bullen P** *see* Timeyin J *et al*
- Bulmer JN** *see* Shirbhate R *et al*
- Burden CA** *et al*. Qualitative study to assess knowledge, understanding and attitude regarding instrumental delivery in our antenatal population, **Fa52**
- Burge D** *see* Parasuraman R *et al*
- Burke G** *see* Breathnach FM *et al*
see Breathnach FM *et al*
- Byrne B** *see* Hill A *et al*
see O'Sullivan O *et al*
- Byron C** *see* Idama T *et al*
- Bythell M** *see* Tennant PWG *et al*
see Whiston S *et al*

- Calder AA** *see* Norman JE *et al*
- Campbell DJ** *see* Sadashivaiah JB *et al*
- Campbell DM** *see* Bell JS *et al*
- Campbell JC** *et al*. Postnatal feeding and glycaemic care in babies of diabetic mothers: audit of immediate postnatal care in neonates born after 34 weeks gestation, **Fa49**
- Capaldo G** Are rubella non-immune pregnant women identified and immunised postnatally? An audit in a district general hospital, **Fa64**
- Cardwell C** *see* Costa J *et al*
see Devaseelan JP *et al*
- Carroll S** *see* Breathnach FM *et al*
- Carroll S** *see* Mahony R *et al*
see Ryan HM *et al*
- Cartwright R** *see* Noori M *et al*
- Cattle B** *see* Farrar D *et al*
- Cerbinskaite A** *see* Sethna F *et al*
- Chan BC** *see* Fox CE *et al*
- Chan S** *see* Vasilopoulou E *et al*
- Chandiramani M** *see* Bolt LA *et al*
see Duhig KE *et al*
see von Rege I *et al*
see Vousden N *et al*
- Chandra P** *et al*. Outcomes of babies with severe rhesus disease following in-utero transfusions – a 10-year experience, **Fa17**
- Chappell LC** Determinants of recurrence risk of pre-eclampsia in women with previous pre-eclampsia: a prospective study, **Fa26**
- Charlesworth NR** *see* Drake S *et al*
- Chase A** *et al*. Pregnancy outcome in sickle cell disease: experience of two tertiary centres, **Fa27**
- Chebsey CS** *et al*. Is knowledge alone enough for the implementation of intrauterine resuscitation?, **Fa57**
- Chetan UR** *et al*. Obesity in pregnancy: an emerging obstetric epidemic, **Fa61**
- Cheung WMC, Weeks AD** Geographical variation in retained placenta rates, **Fa56**
- Chia KV** *see* Vitthala S *et al*
- Chirico D** *et al*. Predictors of pregnancy complications in women with systemic lupus erythematosus, **Fa36**
- Chitty LS** Preparing for implementation of non-invasive prenatal diagnosis into National Health Services practice – the RAPID project, **Fa23**
- Church E** *see* Vitthala S *et al*
- Clark H** *see* Bell JS *et al*
- Clarke A** *see* Chebsey CS *et al*
- Clarke P** *see* Jones NW *et al*
- Coffey M** *see* Russell NE *et al*
- Coker M** *see* Subair O *et al*
- Coleman M** *see* Barua A *et al*
- Coleman MA** *see* Parasuraman R *et al*
see Parasuraman R *et al*
- Cooley S** *see* Kennelly M *et al*
- Cooley SM** *see* Ryan HM *et al*
- Cooper S** *see* Norman JE *et al*
- Cornell RL** *et al*. External cephalic version – only parity affects outcome, **Fa37**
- Costa J** *et al*. Assessment of placental perfusion using three-dimensional power Doppler ultrasound in normal pregnancy and pre-eclampsia, **Fa12**
- Court J** *see* Gillham J *et al*
- Cowans N** *see* Khalil A *et al*
- Crichton L** *see* Haque L and Crichton L
- Critchley M** *see* Datta A *et al*
- Crocker I** *see* Chirico D *et al*
- Crocker IP** *see* Sharp AN *et al*
see Wright C *et al*
- Dadvand P** *et al*. Congenital anomalies and socioeconomic status: a register-based study, **Fa28**
- Daly S** *see* Breathnach FM *et al*
- Damodaram M** *et al*. Three-dimensional magnetic resonance imaging reconstruction and brain volumetry in intrauterine growth restriction fetuses, **Fa19**
Three-dimensional MR reconstruction and evaluation of the cerebellum to whole-brain ratio in intrauterine growth restriction fetuses, **Fa16**
- Damodaram M** *see* Story L *et al*
- Danielian P** *see* Norman JE *et al*
- Das S** *see* Dhanaliwala A *et al*
see Vitthala S *et al*
- Datta A** *et al*. Trial of operative vaginal delivery: has trainee working practice had an impact?, **Fa50**
- David AL** *see* Abi-Nader K *et al*
see Filippi E *et al*
- Davies J** *see* Shawkat E and Davies J
- Dawood F** *et al*. Increased risk of adverse obstetric outcome in women with acquired activated protein C resistance and recurrent miscarriage, **Fa36**
Obstetric outcome following preconceptual transabdominal cerclage, **Fa30**
- de Greeff A** *see* Bolt LA *et al*
see Duhig KE *et al*
see Tasker F *et al*
see von Rege I *et al*
see Vousden N *et al*
- Denbow M** *see* Platt SL *et al*
- Denison FC** *et al*. Increased maternal body mass index is associated with an increased risk of minor complications during pregnancy with consequent cost implications for the National Health Services, **Fa64**
- Deole N, Weeks A** A short survey of doses of misoprostol used in obstetrics, **Fa51**
- Devane D** *see* Sandall J *et al*
- Devaseelan JP** *et al*. Prognosis in isolated mild to moderate fetal ventriculomegaly: a systematic review, **Fa17**
- Dehurst C** *see* Stampalija T *et al*
- Dhanaliwala A** *et al*. Pregnancy care and outcomes in White/British women and women of ethnic minorities – a comparative study, **Fa35**
- Dhanaliwala A** *see* Vitthala S *et al*
- Diamond K** *see* Gillham J *et al*
- Dicker P** *see* Breathnach FM *et al*
- Diniz CS** *see* Bastos MH *et al*
- Dixit A** *see* Letchworth P *et al*
- Donnelly V** *see* Farah N *et al*
- Dornan J** *see* Breathnach FM *et al*
see Breathnach FM *et al*
- Dorrian C** *see* Kernaghan D *et al*
- Dozio N** *see* Stanley KP *et al*
- Drake S** *et al*. Epidermal growth factor increases system A transport and attenuates apoptosis in placental explants, **Fa4**
- Dramond S** *see* Agarwal U *et al*
- Draper ES** *see* Boyd PA *et al*
- Drewett M** *see* Parasuraman R *et al*
- Drury J** *see* Khan L *et al*
- Drury JA** *see* Shirbhate R *et al*
- Duckitt K** *see* Maharajan P *et al*
- Duffy DA, Reynolds P** Babies born at the threshold of viability: will paediatricians be present with midwives at deliveries of 22 week gestation infants?, **Fa41**
Registration of deaths of babies born at the threshold of viability: survey of paediatric consultants and registrars in southeast England, **Fa30**
- Duhig KE** *et al*. Targeting antenatal corticosteroids for fetal lung maturity based on fetal fibronectin testing, **Fa55**
- Duley L** *see* Farrar D *et al*
see Farrar D *et al*
- Dunlop D** *see* Chebsey CS *et al*
- Dunn WB** *see* Horgan RP *et al*
- Durgadevi P** *see* Cornell RL *et al*
- Dwyer JP** *see* Ghosh A *et al*
- E I** *see* Howells GAAbou *et al*
- Eckford S** *see* Pearson G *et al*
- Eleuteri A** *see* Stampalija T *et al*
- Enock K** *see* Khazaeezadeh N *et al*
- Evans M** *see* Goldsmith L *et al*
- Ewer A** *see* Chandra P *et al*
see Patel D *et al*
see Rasiah SV *et al*
see Rasiah SV *et al*
see Stewart K *et al*
- Ezra C, Wolfe J** An audit of postnatal contraception in a teenage pregnancy population, **Fa39**
- Fairlie FM** *see* Weeks AD *et al*
- Farah N** *see* Barry S *et al*
see Fattah C *et al*
see Maher N *et al*
- Farah N** *et al*. Maternal body composition as a predictor of fetal adiposity, **Fa32**
- Farquharson RG** *see* Dawood F *et al*
- Farrar D** *et al*. Care during the third stage of labour: a postal survey of obstetricians and midwives in the UK, **Fa40**

- Measuring placental transfusion for term births: weighing babies at birth with cord intact, **Fa7**
- Farrell T** *see* Datta A *et al*
see Kernaghan D *et al*
- Farrell TA** *see* Poku S and Farrell TA
- Fattah C** *see* Barry S *et al*
see Farah N *et al*
- Fattah C** *et al.* Body mass index in women booking for antenatal care: comparison between self-reported and digital measurement, **Fa68**
- Fernandez H** *see* Venketesh V *et al*
- Filippi E** *see* Abi-Nader K *et al*
- Filippi E** *et al.* Uterine artery Doppler and adverse pregnancy outcome in women with extreme Down's syndrome serum markers, **Fa26**
- Fisher A** *see* Stampalija T *et al*
- Fitzpatrick C** *see* Veeravalli D *et al*
- Flood K** *et al.* Gastroschisis – a worrying trend, **Fa20**
- Foley M** *see* Mahony R *et al*
see Russell NE *et al*
see Fonseca-Kelly Z and Foley M
- Fonseca-Kelly Z, Foley M** Technique at caesarean section – “Do what I do not what they say”, **Fa57**
- Fontenla M** *see* Bick DE *et al*
- Foran A** *see* Flood K *et al*
- Ford J** *see* Goyder K *et al*
- Fox CE** *et al.* Maternal plasma and amniotic fluid angiogenic growth factors and their receptors (sVEGFR-1 and sTie-2) in monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome, **Fa17**
- Maternal serum markers of placental damage after fetoscopic laser ablation in monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome, **Fa17**
- The effect of fetoscopic laser ablation on maternal plasma and amniotic fluid angiogenic growth factors and their receptors in monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome, **Fa18**
- Francis-McIntyre S** *see* Horgan RP *et al*
- Franklyn J** *see* Vasilopoulou E *et al*
- Furber CM, McGowan L** The medicalising of obesity during pregnancy: forgetting the woman inside, **Fa7**
- Furness JC** *see* Hutchon DJR *et al*
- Furtado G** *see* Sathiyathasan S *et al*
- GAAbou EI** *et al.* Cerebral vein thromboses: experience in management in the perinatal period, **Fa62**
- Gandhi S** *see* Wallis L *et al*
- Gardiner E** *et al.* Establishing appropriate population-specific normal ranges for fetal thyroid measurements, **Fa21**
- Intra-operator and inter-operator reproducibility of fetal thyroid circumference measurements, **Fa20**
- Garnett M** *see* Venketesh V *et al*
- Gates S** *see* Sandall J *et al*
- Gatongi DK** *see* Gopal G *et al*
- Gauntlett R** *see* Richardson C *et al*
- Geary M** *see* Breathnach FM *et al*
see O'Sullivan O *et al*
- George S** *et al.* A large cohort study of outcomes of monochorionic twin pregnancies complicated by severe twin-to-twin transfusion syndrome treated by fetoscopic laser ablation, **Fa19**
- Retrospective review of monochorionic twin pregnancies complicated by twin reversed arterial perfusion, **Fa23**
- Ghosh A** *et al.* Questionnaire survey on fundoscopy among obstetrics and gynaecology trainees, **Fa63**
- Ghoshal S** *see* Attarbashi S *et al*
- Giamougiannis P** *et al.* Obstetric outcome of planned vaginal delivery in diabetic pregnancies with suspected fetal macrosomia, **Fa34**
- Giarenis I** *see* Giamougiannis P *et al*
- Gillham J** *see* Timeyin J *et al*
see Anand S and Gillham J
see Muglu J and Gillham J
see Mohan S *et al*
see Noori M *et al*
- Gillham J** *et al.* Can ante-natal bowel dilatation in gastroschisis have any predictive factors for counselling?, **Fa15**
- Girling JC** *see* Page LM *et al*
- Girling JC** *see* Page LM *et al*
- Goel N** *et al.* Epidemiology, perinatal infection risk and neonatal discharge outcome of substance use in pregnancy – a five-year experience, **Fa67**
- Goel N** *see* Beasley D *et al*
- Goichman S** *see* Khalil A *et al*
- Goldsmith L** *et al.* Improving uptake of post-mortem examination after stillbirth, **Fa31**
- Golightly S** *see* Balchin I *et al*
- Gopal G** *et al.* Maternal intensive care unit admissions in obstetrics: indications and outcome, **Fa65**
- Gosakan R** *see* Weeks AD *et al*
- Gowland PA** *see* Wright C *et al*
- Goyder K** *et al.* Antenatal education for instrumental births – are midwives adequately trained to facilitate adult learning and deliver effective antenatal education?, **Fa54**
- Antenatal education for instrumental births – do midwives give adequate information?, **Fa44**
- Graham B** *see* Denison FC *et al*
- Grant J** *see* Kennedy HP *et al*
see Shaw-Battista J *et al*
see Shaw-Battista J *et al*
see Walton C *et al*
- Grant J** *et al.* “Normal birth matters”: the impact of an interactive, multimedia learning package on maternity staff, **Fa8**
- Green P** *see* Sajjad N *et al*
- Greenwood SL** *see* Drake S *et al*
- Guruwadayarhalli B** *see* Ghosh A *et al*
- Hackett G** *see* Venketesh V *et al*
- Haezel A** *see* Iftikhar S *et al*
- Hamid R** *see* Sathiyathasan S *et al*
- Hamilton SA** *et al.* Macrophage infiltration of decidua and myometrium in rat models of preterm labour, **Fa8**
- Hamouda T** *see* Giamougiannis P *et al*
- Hanretty K** *see* Norman JE *et al*
- Haque L, Crichton L** Management of pregnancy with a large pancreatic pseudocyst, **Fa69**
- Haque S** *see* Attarbashi S *et al*
- Harper N** *see* Denison FC *et al*
- Harrington K** *see* Khalil A *et al*
- Harrison M** *see* Heazell AEP *et al*
- Harvey S** *see* Rieley J *et al*
- Harvey S** *et al.* Descriptive audit of the standards of monitoring of low-risk women during labour, **Fa48**
- Hatem M** *see* Sandall J *et al*
- Hawkes A** *see* Ibish S and Hawkes A
- Heazell AE** *see* Horgan RP *et al*
- Heazell AEP** *et al.* Does placental histopathology help determine the cause of stillbirth?, **Fa34**
- Improving the management of women following stillbirth by a comprehensive care pathway, **Fa35**
- Using clinical indices to predict poor perinatal outcome in women who present with decreased fetal movements, **Fa35**
- Heazell AEP** *see* Drake S *et al*
see Sharp AN *et al*
see Theophilou G *et al*
- Henshaw A** *see* Hewett A and Henshaw A
- Herlihy CO** *see* Mahony R *et al*
- Hermis L** *et al.* Anal sphincter injury following operative vaginal delivery in theatre: rotational vs non-rotational forceps deliveries, **Fa49**
- Hewett A, Henshaw A** Breastfeeding, best feeding project: developing a blended learning approach to linking evidence to practice, **Fa55**
- Hewitt V** *see* Beasley D *et al*
see Goel N *et al*
- Higgins J** *see* Breathnach FM *et al*
see Obaidi N *et al*
- Higgins MF** *see* Russell NE *et al*
- Higgins S** *see* Breathnach FM *et al*
- Higson M** *see* Sethna F *et al*
- Hill A** *et al.* Severe pre-eclampsia: optimising care in the high dependency unit, **Fa69**
- Hill K** *see* Whigham C *et al*
- Hinshaw K** *see* Blake DA and Hinshaw K
- Hodgson S** *see* Davdand P *et al*
- Hodson K** *et al.* Management of hypothyroidism in early pregnancy – is there a need for a national guideline?, **Fa64**
- Holder R** *see* Fox CE *et al*

- Horgan RP** *et al.* Metabolic changes in plasma and placental villous explants from women who deliver a small for gestational age baby, **Fa5**
- Howard J** *see* Chase A *et al*
- Howarth H** *see* Farrar D *et al*
- Howe DT** *see* Parasuraman R *et al*
see Parker L *et al*
see Parasuraman R and Howe DT
- Howells PA** *see* Senoun GAAbou El *et al*
- Howells PA** *et al.* Venous thrombo-embolic disease in pregnancy and postpartum period: 10 years' experience, **Fa62**
- Hughes A** Audit on labour risk care pathway in relation to maternal and fetal outcomes, **Fa42**
see Costa J *et al*
- Hutchon DJR** *et al.* A retrospective cohort study of the Northern region perinatal mortality survey 1980 to 2007 of causes of intra-partum deaths, with a focus on vasa praevia and cord compression, **Fa27**
- Huttly W** *see* Filippi E *et al*
- Hyer S** *see* Balani J *et al*
see Khan RA *et al*
- Ibish S, Hawkes A** A review of variations in rates of retained placenta through the ages: an analysis of rates of retained placenta at nine hospitals in the UK and Ireland and two hospitals in Asia from the early twentieth century to the present day, **Fa53**
- Idama T** *et al.* Simple tocolysis to aid external cephalic version, **Fa38**
- Iftikhar S** *et al.* Evaluating care of women with obstetric cholestasis – are national guidelines being followed?, **Fa66**
- Ikomi A** *see* Jindal S *et al*
- Indusekhar R** *see* Laing R *et al*
- Ingram E** *see* MacLeod K *et al*
- Jackson C** *see* Heazell AEP *et al*
- Jarrett H** *see* Wan YL *et al*
- Jawan R** *see* Reddy A *et al*
- Jeyanthan K** *see* Sathiyathasan S *et al*
- Jindal S** *et al.* A DGH experience of one-hour glucose tolerance test values: helpful or much ado about nothing?, **Fa61**
An evaluation of the constitution and quality of decision-making associated with failed first attempts at instrumental delivery, **Fa49**
Is it beneficial to screen pregnant pre-gestational diabetic women for anti-phospholipid antibodies?, **Fa60**
- Johnson A** *see* Balani J *et al*
see Marsh FA *et al*
see Marsh FA *et al*
- Jones NW** *et al.* Comparison of placental vascularity with three-dimensional power Doppler angiography in pre-gestational diabetes and uncomplicated pregnancies, **Fa60**
- Jones P** *see* Filippi E *et al*
- Jones RL** *see* Hamilton SA *et al*
- Joy R** *see* Stock SJ *et al*
- Kamat A** *see* Gopal G *et al*
- Kamran M** *see* Mutema E *et al*
- Karam A** *see* Khan L *et al*
- Karam AK** Uterine natural killer cells in patients with recurrent miscarriage show evidence of proliferation and differentiation but not trafficking, **Fa58**
- Karri K, Masson G** Prenatal detection of structural cardiac abnormalities on antenatal scans and outcome, **Fa25**
- Katakam N** *see* Patel SS *et al*
see Vitthala S *et al*
- Kayani S** *et al.* Two-year outcomes for infants with low cord pH at birth, **Fa37**
- Kell DB** *see* Horgan RP *et al*
- Kendrick A** *et al.* A prospective observational study of the effect of dyslipidaemia on pregnancy outcome in obese women, **Fa26**
- Kennedy HP** *et al.* Supporting normal and optimal birth: an ethnographic study, **Fa43**
- Kennedy HPowell** *see* Shaw-Battista J *et al*
see Walton C *et al*
- Kennedy NA** *et al.* An audit of the postnatal management of antenatally detected hydronephrosis, **Fa21**
- Kennelly M** *et al.* Isolated severe fetal ventriculomegaly: outcome and role of cephalocentesis in management, **Fa23**
- Kenny LC** *see* Horgan RP *et al*
- Kent E** *see* Flood K *et al*
- Kernaghan D** *et al.* Are commercial assay pregnancy reference ranges for thyroid stimulating hormone, free thyroxine and tri-iodothyronine, appropriate for use in Glasgow?, **Fa66**
- Kernaghan D** *see* Hermis L *et al*
- Kernaghan D** *et al.* Fetal size and growth velocity in the prediction of shoulder dystocia in a glucose impaired population, **Fa44**
- Khalil A** *et al.* First trimester markers for the prediction of pre-eclampsia in women with a priori high risk, **Fa9**
- Khan KS** *see* Malin GL *et al*
- Khan L** *et al.* High numbers of uterine natural killer cells lead to a hostile endometrial environment for implantation in patients with recurrent implantation failure, **Fa59**
- Khan R** *see* Jindal S *et al*
- Khan R** *et al.* Five years' experience of ultrasound detection of congenital anomalies at Singleton Hospital, **Fa24**
- Khan RA** *et al.* Pregnancy and obesity: an epidemic of obese pregnant women in a southwest London hospital, **Fa59**
- Khaund A** *see* Kernaghan D *et al*
- Khazaezadeh N** *et al.* Tackling obesity in women: the service providers story, **Fa67**
- Khawanda A** *see* Langford E *et al*
- Khyzer F** *see* Rustamov O *et al*
- Kilby M** *see* Chandra P *et al*
see George S *et al*
see Patel D *et al*
see Rasiah SV *et al*
see Stewart K *et al*
see Vasilopoulou E *et al*
- Kilby MD** *see* Fox CE *et al*
see George S *et al*
see Malin GL *et al*
see Tonks AM *et al*
- Knight M** Extreme obesity in pregnancy in the UK: prevalence, pregnancy complications and outcomes, **Fa6**
- Knight T, Macphail S** Prom before 24 weeks – how optimistic should we be?, **Fa29**
- Konje J** *see* Verma A *et al*
- Kopeika J** *see* Khazaezadeh N *et al*
- Krishnamoorthy U** *see* Misfar N *et al*
- Kumar S** *see* Damodaram M *et al*
see Story L *et al*
- Kumar S** *et al.* Radiofrequency ablation for selective reduction in complex monochorionic pregnancies, **Fa12**
- Kundodyiwa TW** *et al.* Propp or prostin: prospective audit of labour induction at the Liverpool Women's Hospital, **Fa47**
- Kurinczuk JJ** *see* Boyd PA *et al*
- Kurugollu F** *see* Saxena A *et al*
- Lachelin GCL** *et al.* Low saliva progesterone concentrations are associated with spontaneous early preterm labour (before 34 weeks of gestation) in high-risk women, **Fa6**
- Laher R** *see* Chase A *et al*
- Laing R** *et al.* Post-natal bleeding from a rectal Dieulafoy lesion, **Fa52**
- Lambert H** *see* Kennedy NA *et al*
- Land S** *see* Campbell JC *et al*
see Stanley KP *et al*
- Landon CR** *see* Marsh FA *et al*
- Langford E** *et al.* Oxygen saturation response to exercise in healthy pregnant women, **Fa65**
- Langford KS** *see* Langford E *et al*
- Larkins SA** *see* Tonks AM *et al*
- Lash GE** *see* Fox CE *et al*
see Shirbhate R *et al*
- Law G** *see* Farrar D *et al*
- Layton M** *see* Chase A *et al*
- Leap N** *see* Grant J *et al*
- Lengyel J** *see* Laing R *et al*
- Letchworth P** *et al.* Pregnancy outcome in women with unexplained antepartum haemorrhage, **Fa36**
- Lewin I** *see* Pearson G *et al*
- Li S, Smith N** Audit of decision to delivery intervals for assisted vaginal deliveries, **Fa55**
- Liddie J** *see* Maharajan P *et al*
- Liebling RE** *see* Burden CA *et al*
see Platt SL *et al*
- Likeman M** *see* Platt SL *et al*
- Lindsay R** *see* Kernaghan D *et al*
- Lindsay RS** *see* Gardiner E *et al*
- Lloyd-Hennie D** *see* Noori M *et al*
- Loneragan K** *see* Khazaezadeh N *et al*

- Loubière L** *see* Vasilopoulou E *et al*
Loughney AD *see* Richardson C *et al*
see Shortt N *et al*
Love CDB *see* Cornell RL *et al*
see Goldsmith L *et al*
see Stock SJ *et al*
Luckas M *see* Ballal S *et al*
Lye SL *see* Hamilton SA *et al*
Lynch J *see* Denison FC *et al*
Lyons GR *see* Sadashivaiah JB *et al*
- Mackenzie F** *see* Gardiner E *et al*
see Kernaghan D *et al*
see Norman JE *et al*
MacLennan G *see* Norman JE *et al*
MacLeod K *et al*. Estimating fetal weight and actual fetal weight in dichorionic twins: accuracy and clinical significance, **Fa22**
Macphail S *see* Knight T and Macphail S
Macpherson M *see* Walker KF *et al*
Mactier H *see* Norman JE *et al*
Madhvani K *see* Barua A *et al*
Maharajan P *et al*. Preconceptual care in diabetic women: where do we stand?, **Fa37**
Maher N *et al*. Maternal morbid obesity and pregnancy outcomes, **Fa32**
Mahony R *et al*. Can twin pregnancy be safely prolonged to term (37 weeks gestation), **Fa6**
 Improving selection for antenatal corticosteroid therapy in potential preterm birth, **Fa18**
 Obstetric precursors of singleton preterm birth <34 weeks gestation in a centre with a low incidence of preterm delivery, **Fa52**
Mahony R *see* Fox CE *et al*
see George S *et al*
see Ryan HM *et al*
Maiti S *see* Papoutsos C *et al*
Majeed T *see* Weeks AD *et al*
Malik S *et al*. Cell saver in massive obstetric haemorrhage – review of literature and our experience over three years, **Fa69**
Malin GL *et al*. Antenatal intervention in the management of lower urinary tract obstruction: a systematic review of effectiveness with meta-analysis, **Fa18**
 Umbilical cord pH in the prediction of neonatal and long term morbidity: a systematic review of the literature and meta-analysis, **Fa26**
Malone F *see* Flood K *et al*
Malone FD *see* Breathnach FM *et al*
Maresh M *see* Papoutsos C *et al*
Maric T *see* Letchworth P *et al*
Marsh FA *et al*. An increasing rate of obstetric anal sphincter injury in a busy obstetric unit. What factors are responsible?, **Fa45**
 Does the type of vaginal delivery influence morbidity associated with obstetric anal sphincter injury?, **Fa31**
 Factors associated with prolonged faecal and urinary symptoms following obstetric anal sphincter injury from 2004 to 2008, **Fa30**
Marshall H *see* Harvey S *et al*
Martin B *see* George S *et al*
see Norman JE *et al*
Martin J *see* Abi-Nader K *et al*
see Singh N *et al*
Martin W *see* George S *et al*
Martindale EA *see* Heazell AEP *et al*
see Iftikhar S *et al*
see Theophilou G *et al*
Masson G *see* Karri K and Masson G
see Stephens KC and Masson G
Mastorouides H *see* Vousden N *et al*
Mathers A *see* Harvey S *et al*
see Sewnauth K *et al*
Mazhar S *see* Ghosh A *et al*
McAuliffe F *see* Breathnach FM *et al*
see Mahony R *et al*
see O'Sullivan O *et al*
see Ryan HM *et al*
McAuliffe FM *see* Russell NE *et al*
McCabe C *see* Vasilopoulou E *et al*
McCarthy A *see* Chase A *et al*
McCourt C *see* Bastos MH *et al*
McGarrigle HG *see* Lachelin GCL *et al*
McGowan L *see* Furber CM and McGowan L
McGuinness A *see* Damodaram M *et al*
McKeating A *see* Mahony R *et al*
McKelvey AC *et al*. Absent fetal stomach – the implications, **Fa13**
McLernon D *see* Bell JS *et al*
McLure H *see* Sadashivaiah JB *et al*
McParland P *see* Kennelly M *et al*
see Ryan HM *et al*
McParlin C *et al*. Changes in objectively measured physical activity levels during pregnancy in overweight and obese women, **Fa65**
McRobbie SJ *see* Stock SJ *et al*
Mehta V *see* Abi-Nader K *et al*
Meiri H *see* Khalil A *et al*
Melchiorre K *et al*. Assessment of maternal radial and longitudinal systolic function in pregnancies complicated by early onset pre-eclampsia, **Fa59**
 Do maternal cardiac structural abnormalities predispose to high-resistance uterine artery Doppler indices?, **Fa10**
 Maternal diastolic function assessed by mitral inflow pattern and tissue Doppler in pregnancies complicated by early onset pre-eclampsia, **Fa60**
 Maternal haemodynamic changes and heart remodelling in pregnancies complicated by early onset pre-eclampsia, **Fa59**
Menakaya C *see* Attarbashi S *et al*
Miller P *see* Patel D *et al*
see Rasiah SV *et al*
see Stewart K *et al*
Mirembe FM *see* Weeks AD *et al*
Mires G *see* Norman JE *et al*
Mirza M *see* Sengupta N *et al*
Misfar N *et al*. Range of settings and range of options for induction of labour enhances normality in child birth, **Fa46**
Mistry V *see* Patel D *et al*
Modder J *see* Balchin I *et al*
Mohan S *et al*. Caesarean section-related anaemia and transfusion and the application of cell salvage, **Fa54**
Mohiddin A *see* Khazaeezadeh N *et al*
Moore A *see* Chandra P *et al*
Morabito A *see* Gillham J *et al*
Moran P *see* Abdullahi H and Moran P
see Say RE and Moran P
see Sethna F and Moran P
Morris DM *see* Wright C *et al*
Morris RK *see* Malin GL *et al*
Morrison JJ *see* Breathnach FM *et al*
Moselhi M *see* Khan R *et al*
Mousa H *see* Howells PA *et al*
see Jones NW *et al*
see Senoun GAAbou El *et al*
Mousa HA *see* Pankhurst SK *et al*
Mudzamiri J *see* Singh M *et al*
Muglu J, Gillham J Sub-optimal care in perineal repairs and retained placenta, **Fa42**
Mulcahy C *see* Mahony R *et al*
Mulcahy CH *see* Russell NE *et al*
Mummadi A *see* Drake S *et al*
Munro K *see* Cornell RL *et al*
Muotune A *see* Patel SS *et al*
Murdoch E *see* Venketesh V *et al*
Murphy DJ *see* Bahl R *et al*
Murphy M *see* Mahony R *et al*
Mutema E *et al*. Comparative review of continuous infusion vs patient controlled epidural use in primigravid women, **Fa45**
Myers B *see* Howells PA *et al*
see Senoun GAAbou El *et al*
- Nagabushanam S** *see* Stock SJ *et al*
Nama V *et al*. Steroid usage in recurrent miscarriage – is it of benefit?, **Fa38**
Namayanja A *see* Weeks AD *et al*
Narchi NZ *see* Bastos MH *et al*
Nasir S *et al*. Prospective observational study of women attending the preterm labour clinic, **Fa29**
Nasr R *see* McKelvey AC *et al*
Neilson J *see* Turton PA *et al*
Neville P *see* Saroja CSMallappa *et al*
Nicholl A *see* Gopal G *et al*
Nicholls C *see* Beasley D *et al*

- see* Goel N *et al*
- Nikolopoulos I** *see* Verma A *et al*
- Noori M** *et al*. A prospective study of highly sensitive C-reactive protein throughout pregnancy and postpartum in women who developed pre-eclampsia and pregnancy-induced hypertension, **Fa10**
- Body mass index of 23–24.9 increases the risk of adverse obstetric and perinatal outcomes, **Fa28**
- Norman JE** *et al*. A randomised, double-masked, placebo-controlled study of progesterone for the prevention of preterm birth in twins (stoppit), **Fa8**
- Norrie G** *see* Denison FC *et al*
- Norrie J** *see* Norman JE *et al*
- O'Brien D** *see* O'Sullivan O *et al*
- Prediction of peripartum hysterectomy and end organ failure in severe obstetric haemorrhage, **Fa58**
- O'Donoghue K** *see* Obaidi N *et al*
- see* Ooi W *et al*
- O'Herlihy C** *see* Mahony R *et al*
- O'Sullivan O** *see* Heazell AEP *et al*
- O'Sullivan O** *et al*. Clinico-pathological correlations in peripartum hysterectomy, **Fa70**
- Obaidi N** *et al*. Natural history of anencephaly, **Fa25**
- Odukoya O** *see* Singh M *et al*
- Ojutiku D** *see* Jindal S *et al*
- Oki B** *see* Khazaezadeh N *et al*
- see* Kernaghan D *et al*
- Oliver A, Strachan B** Maternal morbidity following instrumental delivery: an individual responsibility?, **Fa45**
- Oliver A** *see* Bahl R *et al*
- Ong S** *see* Costa J *et al*
- see* Saxena A *et al*
- Ong SSC** *see* Devaseelan JP *et al*
- Ooi W** *et al*. Factors affecting secondary recurrent miscarriage, **Fa39**
- Osoba L** *see* Adeyemi OO and Osoba L
- Oteng-Ntim E** *see* Chase A *et al*
- see* Khazaezadeh N *et al*
- Othman M** *et al*. Cervical immunobiology in women at risk of preterm labour (Cervix study), **Fa38**
- Overton TG** *see* Burden CA *et al*
- see* Platt SL *et al*
- Owen P** *see* Kernaghan D *et al*
- see* Norman JE *et al*
- see* Sewnauth K *et al*
- Page LM** *et al*. Should older women be offered early induction of labour?, **Fa27**
- Term stillbirths: who is at risk?, **Fa33**
- Paley M** *see* Wallis L *et al*
- Pandya P** *see* Filippi E *et al*
- Pankhurst SK** *et al*. Confined placental mosaicism: rate of amniocentesis and pregnancy outcome, **Fa24**
- Papoutsos C** *et al*. Ten-year observational study on peripartum hysterectomies in St. Mary's Hospital, Manchester, **Fa50**
- Paramasivam G** *see* Kumar S *et al*
- see* Story L *et al*
- Parasuraman R, Howe DT** Reproducibility of fetal myocardial performance index, **Fa13**
- Parasuraman R** *et al*. Diagnosis of placenta accreta and experience with interventional radiology: the Southampton learning curve, **Fa63**
- Outcomes for antenatally diagnosed small or absent stomachs, **Fa22**
- Parker GJM** *see* Wright C *et al*
- Parker L** *et al*. Distribution of birthweight discrepancy in twin pregnancies, **Fa21**
- Parveen A** *see* Rajagopalan M *et al*
- Parveen AS** *see* Saroja CS Mallappa *et al*
- Patel D** *et al*. The incidence of congenital heart disease and outcomes of fetuses born to mothers with cardiac conditions, **Fa15**
- Patel S** *see* Singh N *et al*
- see* Vitthala S *et al*
- Patel SS** *et al*. Cost-effectiveness of external cephalic version, **Fa49**
- Pearce MS** *see* McParlin C *et al*
- see* Tennant PWG *et al*
- see* Whiston S *et al*
- Pearson G** *et al*. Novel insulin receptor mutation leading to insulin resistance in pregnancy, **Fa70**
- Peebles D** *see* Filippi E *et al*
- see* Reddy A *et al*
- Peebles DM** *see* Abi-Nader K *et al*
- Peregrine E** *see* Filippi E *et al*
- Petts G** *see* Abi-Nader K *et al*
- Pheasant H** *see* Khazaezadeh N *et al*
- Platt MJ** *see* Agarwal U *et al*
- Platt SL** *et al*. Clinical value of fetal brain MRI: indications and limitations, **Fa15**
- Poku S, Farrell TA** Pregnancy outcome in mothers at risk of gestational diabetes, **Fa64**
- Poku S** *see* Singh M *et al*
- Ponnusamy V** *see* Stanley KP *et al*
- Poston L** *see* Lachelin GCL *et al*
- see* Wheeler SJ *et al*
- Pretlove SJ** *see* Fox CE *et al*
- Price C** *see* Khan R *et al*
- Prosser-Snelling E** *see* Campbell JC *et al*
- Pundir J, Sinha P** Fetal macrosomia in absence of diabetes – a rising trend, **Fa32**
- Quenby S** *see* Arrowsmith S *et al*
- see* Dawood F *et al*
- see* Kendrick A *et al*
- see* Khan L *et al*
- see* Nasir S *et al*
- see* Othman M *et al*
- see* Shirbhate R *et al*
- see* Turton PA *et al*
- see* Turton PA *et al*
- Raashid Y** *see* Weeks AD *et al*
- Rafferty G** *see* Farah N *et al*
- Raine-Fenning N** *see* Jones NW *et al*
- Rajagopalan M** *et al*. Correlation between cardiotocograph and short-term neonatal outcome, **Fa57**
- Rajasingham D** *see* Voudsen N *et al*
- see* Watson KM and Rajasingham D
- Rajkumar V** *see* Beasley D *et al*
- see* Goel N *et al*
- Ramage CM** *see* Marsh FA *et al*
- Rankin J** *see* Dadvand P *et al*
- see* McParlin C *et al*
- see* Tennant PWG *et al*
- see* Whiston S *et al*
- Rankin JM** *see* Boyd PA *et al*
- Raouf S** *et al*. Nuchal translucency screening for Down's syndrome in a dedicated multiple pregnancy clinic: a patient survey, **Fa20**
- Rasiah SV** *et al*. Prenatal diagnosis and outcome of fetuses with transposition of the great arteries, **Fa14**
- Referral patterns and fetal echocardiography findings in mothers at high-risk of congenital heart disease: a 10-year experience, **FaFa14**
- Rasiah SV** *see* Patel D *et al*
- see* Stewart K *et al*
- Rasiah V** *see* Chandra P *et al*
- Reddy A** *see* McKelvey AC *et al*
- see* Saroja CS Mallappa *et al*
- Reddy A** *et al*. Accuracy of fetal weight estimation by two-dimensional ultrasound at limits of viability and implications on clinical decisions, **Fa16**
- Reynolds P** *see* Duffy DA and Reynolds P
- see* Duffy DA and Reynolds P
- Reynolds RM** *see* Denison FC *et al*
- Rice H** *see* Costa J *et al*
- see* Rajagopalan M *et al*
- see* Saroja CS Mallappa *et al*
- Richards S** *see* Pankhurst SK *et al*
- Richardson A** *see* Parasuraman R *et al*
- Richardson C** *et al*. Evaluation of the performance of a modified obstetric early warning score, **Fa42**
- Riddett B, Vause S** Women's views on the frequency of vaginal examination in labour, **Fa48**
- Rieley J** *et al*. Impact of fetal fibronectin testing in a district general maternity unit, **Fa56**
- Rieley J** *see* Harvey S *et al*
- Rigg J** *see* Mutema E *et al*
- Roberts D** *see* Ballal S *et al*
- see* Tang A *et al*
- Robson SC** *see* Kennedy NA *et al*
- see* McParlin C *et al*
- see* Shirbhate R *et al*

- Rogerson LJ** *see* Marsh FA *et al*
- Rounding C** *see* Boyd PA *et al*
- Rushton S** *see* Dadvand P *et al*
- Russell N** *see* Obaidi N *et al*
see Ryan HM *et al*
- Russell NE** *et al*. Does Doppler have a role in monitoring type 1 diabetic pregnancy?, **Fa14**
Third trimester umbilical and middle cerebral Doppler in type 1 diabetic pregnancy – can trend predict risk?, **Fa14**
- Rustamov O** *et al*. Uterine tamponade with bakri postpartum balloon to stop bleeding in major postpartum haemorrhage, **Fa56**
- Rutherford M** *see* Damodaram M *et al*
see Damodaram M *et al*
see Story L *et al*
- Ryan HM** *et al*. The predictive value of middle cerebral artery indices for fetal anaemia at the time of the first intrauterine transfusion, **Fa15**
- Rycroft-Malone J** *see* Bick DE *et al*
- Sadashivaiah JB** *et al*. Prophylactic balloon catheterisation of the uterine artery can cause fetal compromise, **Fa29**
- Sahasrabudhe N** *see* Theophilou G *et al*
- Sajjad N** *et al*. Audit of failed induction of labour, **Fa32**
- Sandall J** *see* Grant J *et al*
see Kennedy HP *et al*
see Shaw-Battista J *et al*
see Shaw-Battista J *et al*
see Walton C *et al*
- Sandall J** *et al*. Midwife-led vs other models of care for childbearing women: implications of findings from a cochrane meta-analysis mid, **Fa42**
- Sanders TA** *see* Wheeler SJ *et al*
- Sanusi A** *see* Subair O *et al*
- Saroja CSMallappa** *et al*. Gastric banding and pregnancy with complication of gastric torsion, **Fa68**
- Sasson S** *see* Vitthala S *et al*
- Sathiyathanan S** *et al*. A case of pneumomediastinum in pregnancy, **Fa67**
- Savenko I** *see* Sajjad N *et al*
- Saxena A** *see* Khazaazadeh N *et al*
- Saxena A** *et al*. Fetal surveillance using pattern recognition computer software, **Fa23**
- Say RE, Moran P** Turning the management of breech presentation upside down, **Fa38**
- Scholefield H** *see* Veeravalli D *et al*
- Schram CMH** *see* Heazell AEP *et al*
see Iftikhar S *et al*
- Seed P** *see* Bolt LA *et al*
- Seed PT** *see* Briley AL *et al*
see Lachelin GCL *et al*
see Wheeler SJ *et al*
- Seers K** *see* Bick DE *et al*
- Selman T, Young P** Obstetric practice – is it really evidence-based?, **Fa67**
- Semple R** *see* Pearson G *et al*
- Sengupta N** *et al*. Helping the helpers: debriefing following adverse events – prospective survey, **Fa41**
- Sengupta S** *see* Vitthala S *et al*
- Senoun GAAbou El** *see* Howells PA *et al*
- Senoun GAAbou** *et al*. Inferior vena cava filter use in pregnancy: preliminary experience and failure of retrieval in two cases, **Fa62**
- Sethna F, Moran P** Spina bifida – does level of lesion influence parental decision to terminate or continue an affected pregnancy?, **Fa12**
- Sethna F** *et al*. Clinical negligence scheme for trusts. Pilot maternity clinical risk management standards: should we be refining our clinical triggers?, **Fa43**
- Sewnauth K** *et al*. Audit of the prevention and management of shoulder dystocia in Greater Glasgow and Clyde, **Fa51**
- Shah N** *see* Raouf S *et al*
- Shah S** *see* Maharajan P *et al*
- Shamsudin L** *see* Hutchon DJR *et al*
- Sharp AN** *et al*. Trophoblast apoptosis is p53-dependent and susceptible to modulation, **Fa58**
- Shaw NJ** *see* Kayani S *et al*
- Shaw-Battista J** *et al*. Do clinical guidelines support normal birth? A qualitative analysis, **Fa48**
Support for decision-making within uncertainty: maternity case studies, **Fa48**
- Shaw-Battista J** *see* Kennedy HP *et al*
see Walton C *et al*
- Shawkat E, Davies J** An audit of compliance with a modified obstetric early warning score in a district general hospital, **Fa65**
- Shehata H** *see* Balani J *et al*
see Khan RA *et al*
see Nama V *et al*
- Shennan A** *see* Vousden N *et al*
- Shennan AH** *see* Bolt LA *et al*
see Duhig KE *et al*
see Lachelin GCL *et al*
see Tasker F *et al*
see von Rege I *et al*
- Shirbhate R** *et al*. The role of cervical cytokines in preterm labour, **Fa44**
- Shortt N** *et al*. Consequences of the Term Breech Trial on the management and outcomes of undiagnosed term breech pregnancies, **Fa54**
- Shuheibar H** *see* Wan YL *et al*
- Shynlova O** *see* Hamilton SA *et al*
- Sibley CP** *see* Drake S *et al*
see Wright C *et al*
- Singh M** *et al*. The impact of maternal obesity on pregnancy outcomes, **Fa33**
The prognostic significance of maternal CA 125 in threatened miscarriage, **Fa33**
- Singh N** *see* Iftikhar S *et al*
- Singhal T** *see* Malik S *et al*
- Sinha P** *see* Pundir J and Sinha P
- Smajer B** *see* Saroja CSMallappa *et al*
- Smith GC** *see* Walker KF *et al*
- Smith M** *see* Wallis L *et al*
- Smith MC** *see* Shirbhate R *et al*
- Smith N** *see* Li S and Smith N
- Smith RP** *see* Giamougiannis P *et al*
- Sohal M** *see* Chase A *et al*
- Soltani H** *see* Sandall J *et al*
- Soothill PW** *see* Bills VL *et al*
see Platt SL *et al*
- Sote R** *see* Singh M *et al*
- Spence D** *see* Costa J *et al*
- Spencer K** *see* Khalil A *et al*
- Springett A** *see* Balchin I *et al*
- Stampalija T** *see* Othman M *et al*
- Stampalija T** *et al*. Extraction and analysis of fetal ECG by trans-abdominal recording using Monica AN24, **Fa11**
- Stanley KP** *see* Campbell JC *et al*
see Giamougiannis P *et al*
- Stanley KP** *et al*. Antenatal intrauterine growth restriction and prematurity in type 1 diabetes: possible contribution to a low PNMR, **Fa66**
- Stanton R** *see* Veeravalli D *et al*
- Staughton J** *see* Filippi E *et al*
- Stephen G** *see* Heazell AEP *et al*
- Stephens KC, Masson G** Methicillin-resistant *Staphylococcus aureus* screening in obstetric women, **Fa70**
- Stewart K** *et al*. Antenatal management and outcome of fetal tachyarrhythmia: a 10-year experience in a tertiary fetal medicine unit, **Fa11**
- Stock S** *see* Goldsmith L *et al*
- Stock SJ** *et al*. Placenta praevia – changes in incidence, management and outcomes, **Fa63**
- Stokes I** *see* Saroja CS Mallappa *et al*
- Story L** *see* Damodaram M *et al*
see Damodaram M *et al*
- Story L** *et al*. Vessel diameters in growth restricted fetuses, **Fa13**
- Strachan B** *see* Bahl R *et al*
see Bahl R *et al*
see Bahl R *et al*
see Goyder K *et al*
see Goyder K *et al*
see Oliver A and Strachan B
- Stuard B** *see* Fattah C *et al*
see Barry S *et al*
see Farah N *et al*
see Maher N *et al*
- Sturgiss S** *see* Norman JE *et al*
- Styles L** *see* Parasuraman R *et al*
- Subair O** *et al*. Vaginal twin deliveries: a survey of senior obstetric trainees in the UK, **Fa54**
- Sudhakar S, Taylor MJ** Comparison of off-line three-dimensional and real-time two-dimensional ultrasound assessment of nuchal translucency: a pilot study of 100 cases, **Fa4**

- Sunanda GV** *see* Raouf S *et al*
- Sutherland G** *see* Melchiorre K *et al*
- Tan M** *see* Kayani S *et al*
- Tang A** *et al*. Liverpool women's stillbirth audit: standards of care and their relation to gestational age, **Fa39**
- Tang A** *see* Khan L *et al*
- Tasker F** *et al*. Does a novel automated auscultatory device measure blood pressure accurately in pregnancy and pre-eclampsia? Tensoval duo control, **Fa58**
- Taylor MJ** *see* Sudhakar S and Taylor MJ
- Taylor-Robinson D** *see* Agarwal U *et al*
- Temple IK** *see* Parker L *et al*
- Temple RC** *see* Stanley KP *et al*
- Tennant P** *see* McParlin C *et al*
- Tennant PWG** *see* Whiston S *et al*
- Tennant PWG** *et al*. Twenty-year survival of children born with congenital anomalies, **Fa33**
- Tezcan B** *see* Abi-Nader K *et al*
- Theophilou G** *et al*. Abnormal placental morphology detected by routine antenatal ultrasonography – correlation with obstetric outcome and histology examination, **Fa22**
- Thilaganathan B** *see* Melchiorre K *et al*
- Thomas JE** *see* Wheeler SJ *et al*
- Thomson A** *see* Harvey S *et al*
see Rieley J *et al*
- Thornton J** *see* Walker KF *et al*
- Thornton S** *see* Norman JE *et al*
- Thum Y** *see* Nama V *et al*
- Tierney J** *see* Hermis L *et al*
- Timeyin J** *et al*. Uptake, success rate, counselling and documentation of vaginal birth after caesarean in a tertiary centre, **Fa53**
- Tinker D** *see* Patel SS *et al*
- Tomlinson AJ** *see* Vitthala S *et al*
- Tomlinson J** *see* Singh N *et al*
- Tonks A** *see* Rasiah SV *et al*
- Tonks AM** *et al*. Audit of first trimester chorionic villous sampling outcomes: a regional, population-based study, **Fa4**
- Toole FO** *see* Fattah C *et al*
- Topping J** *see* Dawood F *et al*
see Kundodyiwa TW *et al*
- Torondel B** *see* Abi-Nader K *et al*
- Tower C** *see* Chirico D *et al*
see Wan YL *et al*
- Tower CL** *et al*. Positive impact of a structured proforma and prospective audit on decision to delivery intervals for instrumental vaginal delivery, **Fa50**
Trial of instrumental delivery in theatre – does the time of day matter?, **Fa50**
- Tower CL** *see* Hamilton SA *et al*
- Tucker J** *see* Bell JS *et al*
see Chebsey CS *et al*
- Tuffnell D** *see* Farrar D *et al*
see Farrar D *et al*
- Turner M** *see* Farah N *et al*
see Fattah C *et al*
see Khan L *et al*
- Turner MJ** *see* Barry S *et al*
see Maher N *et al*
- Turton PA** *et al*. Does uterine anomaly really cause preterm labour? A meta-analysis using the Bradford Hill criteria, **Fa56**
The effect of increasing uterine stretch and progesterone on contractile properties of myometrium in multiple pregnancy, **Fa40**
- Twomey A** *see* Mahony R *et al*
- Tydemann G** *see* Norman JE *et al*
see Whigham C *et al*
- Vaithilingam N** *see* Sengupta N *et al*
- Vasilopoulou E** *et al*. Human primary cytotrophoblasts from normal and intrauterine growth restriction pregnancies respond differently to T3 treatment in vitro, **Fa5**
The role of the thyroid hormone monocarboxylate transporter 8 in human placental development, **Fa11**
- Vause S** *see* Tower CL *et al*
see Wan YL *et al*
see Riddett B and Vause S
- Veeravalli D** *et al*. Admissions to a specialist maternal high dependency unit, **Fa27**
- Venketesh V** *et al*. Does fetal MRI add useful diagnostic information for counselling, pregnancy and postnatal planning for babies with antenatal CNS anomalies?, **Fa16**
- Verma A** *et al*. Low second trimester maternal serum alphafetoprotein and perinatal outcome, **Fa24**
- Vernon G** *see* Weeks AD *et al*
- Vitthala S** *et al*. Case series of post-operative pelvic infection following uterine brace sutures applied for major postpartum haemorrhage, **Fa51**
- von Rege I** *et al*. Comparison of pregnancy outcome after repeat cervical surgery and single procedures, **Fa34**
- Vousden N** *et al*. Preterm prelabour rupture of membranes: maternal blood tests and maternal and fetal outcome, **Fa25**
- Walker KF** *et al*. Induction of labour at term for nulliparous women of advanced maternal age: a national UK survey, **Fa51**
- Wallis L** *et al*. Subdural, subgaleal and cephalohaematoma. are these results of obstetric trauma?, **Fa7**
- Walsh CE** *see* Hill A *et al*
- Walton C** *see* Kennedy HP *et al*
see Shaw-Battista J *et al*
see Shaw-Battista J *et al*
- Walton C** *et al*. Vaginal birth after caesarean section: how much choice do women have?, **Fa43**
- Walton K**. An audit of antenatal management and pregnancy outcomes of obese women at Sunderland Royal Hospital, **Fa69**
- Wan Y** *see* Tower CL *et al*
- Wan YL** *et al*. Is terbutaline a better tocolytic for external cephalic version? Experience at a tertiary referral hospital, **Fa53**
- Watson KM, Rajasingham D**. Provision of preconception care services for women with diabetes: stakeholder analysis and future service delivery recommendations, **Fa61**
- Waugh J** *see* Sethna F *et al*
- Webster S** *see* Shortt N *et al*
- Weeks A, Barton A**. Measured fetal head descent in induced labours using the stationmaster: a pilot study, **Fa46**
- Weeks A** *see* Deole N and Weeks A
- Weeks AD** *et al*. The release trial: a randomised trial of umbilical vein oxytocin for retained placenta, **Fa7**
- Weeks AD** *see* Cheung WMC and Weeks AD
- Wellesley D** *see* Parasuraman R *et al*
- Welsh J** *see* Sewnauth K *et al*
- West D** *see* Laing R *et al*
- Wheeler D** *see* Kennedy NA *et al*
- Wheeler SJ** *et al*. Maternal plasma fatty acid composition and pregnancy outcome in pregnant adolescents: the About Teenage Eating study, **Fa9**
- Whigham C** *et al*. Does a normally sited placenta at 18–20 weeks rule out placenta praevia?, **Fa55**
- Whiston S** *et al*. Prevalence and outcome for individuals with Down syndrome, 1985–2003, **Fa6**
- Whitby E** *see* Wallis L *et al*
- Whittaker J** *see* Balchin I *et al*
- Whitten SM** *see* McKelvey AC *et al*
- Whitworth M** *see* Nasir S *et al*
see Tang A *et al*
- Whitworth MK, Alfirevic Z**. Management and diagnosis of threatened preterm labour – what are we actually doing?, **Fa44**
- Wiechec M** *see* Kumar S *et al*
- Wigley V** *see* Abi-Nader K *et al*
- Wijesiriwardana A** *see* Hodson K *et al*
- Wilkinson K** *see* Marsh FA *et al*
- Williams B** *see* Vitthala S *et al*
- Williams DJ** *see* Noori M *et al*
- Wilson R** *see* Sadashivaiah JB *et al*
- Wimalasundera R** *see* Kumar S *et al*
- Wolfe J** *see* Ezra C and Wolfe J
- Wood L** *see* Kendrick A *et al*
- Woods L** *see* Nasir S *et al*
- Wray S** *see* Arrowsmith S *et al*
see Turton PA *et al*
- Wright A** *see* Marsh FA *et al*
- Wright C** *et al*. Magnetic resonance imaging of the placenta at 1.5 tesla, **Fa22**

Wright J *see* Patel D *et al*
see Rasiah SV *et al*
see Stewart K *et al*

Wyldes MP *see* Tonks AM *et al*

Yasmaras B *see* Raouf S *et al*

Young P *see* Selman T and Young P

Youssef T *see* Rustomov O *et al*

Yoxall B *see* Agarwal U *et al*

Yuill G *see* Mutema E *et al*

Zachary I *see* Abi-Nader K *et al*